

INVITATION FOR QUOTATION

TEQIP-III/2018/nitk/Shopping/11/6193

25-Dec-2018

56

To

Institute Website

Sub: Invitation for Quotations for supply of Goods

Dear Sir,


1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	Vacuum Tublar Furnace	1	50	Coordinator School of Material Science and Technology, National Institute of Technology, Kurukshetra	Yes

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase III** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Quotation,
 - 3.1 The contract shall be for the full quantity as described above.
 - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
 - 3.4 Applicable taxes shall be quoted separately for all items.
 - 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - 3.6 The Prices should be quoted in Indian Rupees only.
4. Each bidder shall submit only one quotation.
5. Quotation shall remain valid for a period not less than **50** days after the last date of quotation submission.
6. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which


6. Evaluation of Quotations,
The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which
 - 6.1 are properly signed ; and
 - 6.2 confirm to the terms and conditions, and specifications.
7. The Quotations would be evaluated for all items together.
8. Award of contract:
The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.
 - 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
 - 8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
9. Payment shall be made in Indian Rupees as follows:
Delivery and Installation - 100% of total cost
10. All supplied items are under warranty of **12** months from the date of successful acceptance of items.
11. You are requested to provide your offer latest by **17:00** hours on **08-Jan-2019** .
12. Detailed specifications of the items are at Annexure I.
13. Training Clause (if any) **Yes**
14. Testing/Installation Clause (if any) **Yes**
15. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
16. Sealed quotation to be submitted/ delivered at the address mentioned below,
TEQIP-III Cell, National Institute of Technology, Kurukshetra
17. We look forward to receiving your quotation and thank you for your interest in this project.


25/12/18

(Dr. Vinod Kumar)
Nodal Officer, Procurement
TEQIP-III

Annexure I

Sr. No	Item Name	Specifications
1	Vacuum Tubular Furnace	<p>Vacuum Tubular Furnace: Temperature upto 1400°C or above Table Top Model suitable to Hold End Fittings Inner Tube Dimension: 70 mm ID x 600 mm Length, Max Temp: 1400°C or above Operating Temperature: 1350°C or above (for continuous operation) Hot zone: 300mm centre Furnace Tube: 60% Alumina Heating Element: Silicon Carbide Fabrication Material: Fully Mild Steel Powder Coated of 1.5 mm Thick Sheath and panel box of mild steel powder coated Power rating: 4 Kw (single phase AC) Shell Construction: Double Chamber Thermocouple: K Type Thermocouple Sensor Control Panel: Programmable PID Temp Controller with 16 segment Ramp Soak Profile Thyristor Control Unit Suitable for programmable Controller Ceramic Tube holding camps and stand-SS 304 Gas fitting, coupling and KF Flanges (1 set) Additional Ceramic Tube for Gas Inlet 50 mm ID x 600 mm or above length (1 set Nos) CE and ISO certified</p>


 (Dr. Vinod Kumar)
 25-12-18
 Nodal Officer, Procurement
 TEQIP-III