

		<b>Dr. Dinesh Kumar</b>	
Sr. No.	Client Organization	Title of Consultancy of Project	Amount received in Rupees
1	DSP CM Flying Squad, Karnal	Testing of samples	4494
2	SDE SSA, New Sectt. Rohtak	Testing of water for constn. Purpose	4494
3	XEN, HSAMB, Yamuna Nagar	Chemical analysis of cement	28,090
4	SDO PR Chhchhrauli, Yamuna Nagar	Testing of samples of Vill. Pirthipur	11236
5	Xen, Panchayati Raj, Sonapat	Chemical analysis of cement mortar	4494
6	Xen, Panchayati Raj, Sonapat	Chemical analysis of cement mortar	33483
7	Xen, Panchayati Raj, Sonapat	Chemical analysis of cement mortar	8989
8	ME, MC, Yamuna Nagar	Testing of conetents of cement concrete	5700
9	SDE, Horticulture S/D Hudl, KNL	Testing of cement concrete	11400
10	SDO CAD S/D Barwala	Chemical testing of cement samples	5700
11	Xen, PH, Div. -I, Bhiwani	Aug. W/S Scheme (Canal based)	21660
12	Distt. Edu. Officer, Mini Sectt. Fatehabad	Testing of samples	34200
13	Xen, Ph. Div. 2, Sirsa	Testing of samples Chemical analysis	20520
14	Xen, Ph. Div. 1, Sirsa	Testing of materials chemical analysis	20520
15	EO, Huda, Kaithal	Testing of samples taken from Horti. Wing	9120
16	EO, Huda, Kaithal	Testing of samples taken from Civil Wing	4560
17	Xen, Panchayati Raj, Bhiwani	Testing of cement mortar for masonary & bricks	4560
18	Xen Panchayati Raj, Yamuna Nagar	Chemical analysis of cement sand mortar	10260
19	Xen, Panchayati Raj, Bhiwani	Testing of cement mortar for masonary & bricks	23940
20	XEN, PEC Centre for Consultancy, Chd	Chemical analysis of cement sand mortar	4560
21	SDE, Horti, S/D Huda, KKR	Chemical analysis of cement and cement concrete	10260
22	XEN, HSAMB, Kaithal	Chemical analysis of cement concrete sample	5700
23	AE, Housing Board, KKR	Testing of sample of cement mortar	4560
24	SDE, Kisan Aadarsh Vidyalaya	Testing of mortar & water samples	12540
25	JE, Room No. 507, Mini Sectt., Panipat	Testing of cement & water samples	12540
26	SDE, Huda, S/D Fatehabad	Testing of cement & cement concrete	33060
27	SDE, HSAMB, Hisar	Chemical analysis of cement concrete	45600
28	Xen, Panchayati Raj, Sonapat	Testing of building materials	9120
29	SDE, Panchayati Raj, Radaur	Chemical analysis of cement concrete	5700
30	SDE, PSD-I, PWD, Panipat	Testing of cement concrete pavement	11400
31	SDE, Huda, S/D Fatehabad	Testing of Lean concrete sample	5700
32	Xen Ing, O/O Xen PWD B&R, Chd	Testing of cement mortar samples	22800
33	SDO, HVPNL, Gurgaon	Testing of St. Steel Sub Station	22800
34	SDO Panchayati Raj, Y Nagar	Testing of cement concrete	17100
35	Xen, MC, MC Gohana	Testing of cement mortar & cement concrete	10260
36	DSP, CM Flying Squad, Hisar	Chemical analysis of cement concrete	17100
37	Xen, Vigilance Div. Sirsa	Chemical analysis of cement concrete	9160
38	DSP, CM Flying Squad, Hisar	Chemical analysis of cement & steel	11450
39	DSP, CM Flying Squad, Hisar	Chemical analysis of cement mortar & concrete	10305
40	SDE, PHE, S/D No. 1, Ch. Dadri	Chemical analysis of cement mortar	9160
41	DM IOC, Gudna, KNL	Chemical analysis of water & steel	10305
42	Coordinator, SSA, RMSA, KKR	Chemical analysis of cement mortar & concrete	10305
43	Executive Officer, MC, Thanesar	Chemical analysis of cement concrete M30 & M 10	11450
44	XEN, PWD B&R, Chd.	Chemical analysis of cement mortar	22900
45	Dist. Project Coord. SSA, RMSA, Amabla	Chemical analysis of cement mortar & cement concrete	10305
46	SDE, Huda, S/D No. II, KKR	Chemical analysis of cement concrete	22900
47	SDO Indri, Indri W/S, KNL	Chemical analysis of cement	40075
48	Dist. Project Coord. SSA, RMSA, Phase IV, 2nd Floor, Rohtak	Chemical analysis of 3 samples of mortar	13740
49	Dist. Project Coord. SSA, RMSA, Phase IV, 2nd Floor, Rohtak	Chemical analysis of 1 sample of water	3435
50	SDE, PHE, S/D No. 1, Ch. Dadri	Chemical analysis of 2 samples of mortar	9160
51	SDE, Huda, S/D Fatehabad	Chemical analysis of 6 samples of cement crushed sand mortar	27480
52	SDE, Horticulture, Huda, KNL	Chemical analysis of 2 samples of cement concrete, plaster, brick	14885
53	SDE, Huda, S/D Fatehabad	Chemical analysis of 2 samples of lean concrete	11450
54	Sub Ex. Er, Vigilance Div. Sirsa	Chemical analysis of cement sand mortar	9160
55	SDE, Huda, S/D No. II, KNL	Chemical analysis of 2 samples of cement sand mortar	9160
56	Consultant VAPCOS, GOI Undertaking Mani Majra, Chd	Chemical analysis of 1 plaster of drain & cement concrete	10305
57	SDE, PSD-II, PWD B&R, Jind	Chemical analysis of 100 mm thick interlocking paver blocks	10305
58	SDE, Huda, S/D No. 2, KKR	Chemical analysis of cement concrete sample	5725
59	SDE, Huda S/D Fatehabad	Chemical analysis of 2 cement concrete sample	11450
60	Tehsildar-cum-Secy, MC, Samalkha	Chemical analysis of cement sand mortar	32060
61	AE, (C-II), Housing Board, Hisar	Chemical analysis of 1 sample of cement mortar plaster & cement bricks	9160
62	AE, Housing Board, Hansi	Chemical analysis of 1 sample of cement mortar plaster & cement bricks	9160
63	SDO, SSA/RMSA Panipat	Chemical analysis of 1 sample of water & 2 cement sand mortar	12595
64	SDE, Huda, S/D No. 1, KKR	Chemical analysis of cement, concrete sample	5725
65	SDE, Huda, S/D Faridabad	Chemical analysis of 4 samples of lean concrete in bed & haunches	22900
66	SDE, Huda, S/D No. 1, KKR	Chemical analysis of cement concrete samples	5725
67	SDE, Huda, S/D No. 1, KKR	Chemical analysis of chequered tiles	5725
68	SDE, Huda, S/D II, Amabla	Chemical analysis of concrete sample	5725
69	AE, Housing Board, Hisar	Chemical analysis of cement mortar	2290
70	DSP, CM Flying Squad, Hisar	Chemical analysis of 2 cement samples	11450
71	SDE, State Vig. Bureau, Panchkula	Chemical analysis of cement mortar/plaster samples	36640
72	SE, Panchayati Raj, Public Works, Amabla	Chemical analysis of concrete samples	22900
73	SDE, Horti, S/D Huda, KNL	Chemical analysis of 1 sample of cement mortar, cement concrete	9160
74	SDE, SSA/RMSA Karnal	Material testing of various samples in GMS Naggal	4580
75	Xen, Panchayati Raj, Kaithal	Chemical analysis of cement concrete samples	5725
76	ME, MC, Panchkula Pinjore	Chemical analysis of 3 samples of cement mortar concrete	30915
77	SDE, PHE SD, Pataudi	Chemical analysis of 2 samples of cement mortar concrete	11450
78	SDE, PHE SD, Pataudi	Chemical analysis of mortar sample & 2 concrete samples	16030
79	SDE, PHE SD, Dharuhera	Chemical analysis of 1 sample of cement mortar concrete	10305
80	SDE, PHE SD, Dharuhera	Chemical analysis of 1 sample of cement & 2 cement concrete	16030
81	SDE, PHE SD, Dharuhera	Chemical analysis of 1 sample of cement & 1 cement concrete	10305
82	SDE, PHE SD, Dharuhera	Chemical analysis of 1 sample of cement & 2 cement concrete	16030
83	SDE, PHE SD, Dharuhera	Chemical analysis of 1 sample of cement & 1 cement concrete	10305
84	SDE, PHE SD, Dharuhera	Chemical analysis of 1 sample of cement	4580
85	SDE, PWD B&R, Saffidon	Chemical analysis of water sample	3435
86	SDO Panchayati Raj, Radaur	Chemical analysis of 2 cement mortar & 4 cement concrete	32060
87	Chief Ex. Officer, PEC Centre, Chd	Chemical analysis of 3 cement mortar samples	13740
88	SDO, Jyotisar W/S S/D Jyotisar	Chemical analysis of water sample	3435
89	SDE, Huda, S/D Fatehabad	Chemical analysis of 4 samples of cement concrete	22900
90	SDO Jakholi Water Services, Kaithal	Chemical analysis of a sample of cement mortar	4580
91	SDO Jakholi Water Services, Kaithal	Chemical analysis of a sample of cement concrete	5725
92	SDO, Panchayati Raj, Chhachhrauli	Chemical analysis of 4 samples of cement mortar & c concrete	45600
93	SDO, Panchayati Raj, Chhachhrauli	Chemical analysis of 4 samples of cement mortar	45600
		<b>Dr. D. K Soni</b>	
1	Bharat Education Society, Kurukshetra	Soil Investigation	22400
2	SDE, PHE, Yamuna Nagar	Soil Investigation	73034
3	Principal, S Nischal Singh College, Ladwa	Soil Investigation for school building	33708
4	XEN< PHE, Div. No. 2, Sirsa	Soil Investigation for OHSR	22472
5	SDO, HSAMB, Kaithal	Soil Investigation in Lab.	2052
6	Secretary, MC, Pundri	Soil Investigation for Fire Station	22472
7	Xen, Charkhi Dadri	Soil Investigation for B.C.	5618
8	SDO, Saffidon W/S Saffidon	Soil Investigation for bridge	22472
9	Xen, Civil Works, HVPNL Panchkula	Soil Investigation work for soil bearing capacity at 66 KV S/Stn	22900
10	SDE, PHE, Hisar S/D No. 3	Soil Investigation for checking DBD	1145

11	Century Infra Power Pvt. Ltd., Hisar	Soil Investigation work for 33 KV S/Stn	85875	
12	Century Infra Power Pvt. Ltd., Hisar	Soil Investigation work for 33 KV S/Stn	103050	
		<b>Dr. H K Sharma</b>		
1	SDE, PSD 5, PWD B&R Jhajjar	Testing of steel samples	5618	
2	SDO Civil, UHBVNL A/City	Testing of C Cubes samples	1124	
3	SDO Civil, UHBVNL A/City	Testing of C Cubes samples	1124	
4	SDO Civil, UHBVNL A/City	Testing of C Cubes samples	1124	
5	SDO. Civil Const. S/D UHBVNL Kaithal	Testing of bricks samples	3371	
6	SDE, HSWC, Panipat	Testing of Paver Blocks, cement & agg.	13483	
7	PWD B&R, Br. Chhchhrauli	Testing of cement samples	7865	
8	SDO Civil, UHBVNL Karnal	Testing of cement & agg. samples	7865	
9	SDO Civil, UHBVNL Karnal	Testing of Concrete Cubes samples	2247	
10	SDE, SSA/ RMSA Rohtak	Testing of Concrete Cubes samples	3371	
11	SDE, SSA/ RMSA Rohtak	Testing of bricks & cement mortar samples	6742	
12	SDE, Huda, S/D No. 1, KKR	Testing of bricks & cement mortar samples	19380	
13	SDO Water Services, Jhansa	Testing of concrete Cubes samples	1124	
14	SDO Water Services, Jhansa	Testing of bricks samples	2247	
15	XEN, Prov. Div. PWD B&R, Faridabad	Concrete mix design of M25 Grade	22472	
16	SDO, Water Seervices, Jhansa	Testing of Concrete Cube samples	8989	
17	Gram Panchayat, Ladwa	Testing of interlocking tiles	1124	
18	M/S Khajurai Const. Kathua, Jammu	Checking of Str. Design of bridges	196630	
19	SDE, PSD 3, B&R, Gharaunda	Concrete mix design of M15 Grade M30 M35	67416	
20	DM Civil Mtc. GAIL, Auria UP	Testing of Fibre Composites	2247	
21	SDE, PHE, S/D Dharuhera	Testing of C Cubes samples	5618	
22	SDE, PHE, S/D Dharuhera	Testing of C Cubes samples & Steel	14607	
23	M/s Acne Cleantech, Gurgaon	Checking of Str. Design & drawings of bldg.	56180	
24	SDO, Water Services, Jhansa	Concrete mix design of M25 Grade	22472	
25	Director Prayukti, Gurgaon	Checking of str. Design of shed	22472	
26	AEE, HVPNL, Jind	Testing of material samples	3371	
27	SDO Water Services, Jhansa	Testing of material samples	23940	
28	SDO Civil Const. Div. KNL	Testing of material samples	10260	
29	SDO, UHBVNL, KNL	Testing of material samples	2280	
30	SDE, PHE, S/D Dharuhera	Testing of C Cubes	13680	
31	M/s Kamal Jeet. Vashisht Colony, Kurukshetra	Testing of brick tiles	2280	
32	XEN, Panchayati Raj, Sonapat	Testing of material samples	1140	
33	Secy., MC, Indri	Testing of material samples	9120	
34	AE, Nagar Nigam, KNL	Testing of material samples	3410	
35	M/s Z.H. Indsl. Srinagar Kashmir	Checking of Str. Design & bridge	79800	
36	SDE, PHE, S/D Dharuhera	Testing of concrete cubes	5700	
37	Project Mngr., C&D Services, A/Bad	Inspection of building	57000	
38	AEE, Civil works, HVPNL, Hisar	Testing of material samples	6840	
39	SDE, SSA/ RMSA Rohtak	Testing of material samples	2280	
40	AEE, Civil works, HVPNL, Jind	Testing of material samples	4560	
41	AE, Housing Board, Karnal	Testing of material samples	3420	
42	Resident Er.,ADB Project, PWD B&R, FBD	Checking of str. Design of bridge	96900	
43	AE, Housing Board, Civil S/D Panchkula	Testing of material samples	7980	
44	AE, Housing Board, Civil S/D Panchkula	Testing of material samples	7980	
45	SDO, Water Services, Jhansa	Testing of material samples	15960	
46	Dy. Mngr, PGCIL, Yamuna Nagar	Testing of material samples	1140	
47	XEN, Prov. Div. PWD B&R, Palwal	Inspection & NDT of bldg. At Palwal	68400	
48	SDO, Water Services, Jhansa	Testing of concrete cubles samples	1140	
49	Sr. Project Mngr. UP Jal Nigam Noida	Inspection of protection work of JNU bldg.	57000	
50	AE, Housing Board, KNL	Testing of material samples	2850	
51	Sr. AE, PGCIL, Sherpur Dehradun	Testing of concrete cubles samples	5700	
52	Project Mngr., UP Jal NigamNoida	Inspection & NDT of KV bldg.	1,14,000	
53	AEE, Civil Works, S/D HVPNL Hisar	Testing of material samples	1140	
54	SDO Vigilance Kurukshetra	Testing of concrete cube samples	1140	
55	SDO Vigilance Kurukshetra	Testing of concrete cube samples	1140	
56	M/s KLA Const. Okhla, IA< New Delhi	Concrete mix design of M25 Grade	22800	
57	M/s SGF Infra, Jammu	Checking of str. Design & drg. Of bridges	91200	
58	SDE, PHE, S/D Hisar	Concrete mix design of M30 Grade	22800	
59	AE Civil Works HVPNL, KNL	Testing of material samples	4560	
60	AEE, Civil Works, HVPNL Jind	Testing of concrete cubes samples	1140	
61	SDE, SSA, RMSA Rohtak	Testing of concrete cubes samples	2280	
62	ASDE, HSWC, Panchkula	Testing of concrete cubes samples	1140	
63	AE, MC, Karnal	Testing of interlocking tiles	3420	
64	SDO Civil Const. UHBVNL, Panchkula	Testing of cement sample	3420	
65	AE, Housing Board, Panchkula	Testing of concrete cube & bricks sample	3420	
66	AE Housing Board, Panchkula	Testing of material samples	10260	
67	SDE, PSD-1, PWD B&R, KKR	Testing of material samples	29640	
68	SDE, SSA/RMSA Rohtak	Testing of Concrete Cubes samples	2280	
69	DM, PGCIL, Dehradun	Testing of material samples	2280	
70	Project Mngr, UP Jal Nigam, Ghaziabad	Inspection of EWS residences	28500	
71	Group CEO & RCC Gurgaon	Checking of str. Design & drg. Of bldgs.	22800	
72	SDE, Huda, S/D 2, KKR	Testing of material samples	4560	
73	SE, PGCIL, Dehradun	Testing of material samples	6840	
74	M/s Mech.fab. Ind.Guwahati	Checking of str. Design of bridge	1,14,000	
75	SDO, Water Services, Jhansa	Testing of material samples	9120	
76	SDE, PSD 2, PWDB&R, A/Cantt	Concrete mix design, concrete cubles & cement	26220	
77	M/s Nufech. Infra, Chirag Delhi	Checking of Str. Design & bridge	1,25,400	
78	DM, PGCIL, Huda Jagadhri	Testing of material samples	5700	
79	AE, Housing Board, KNL	Testing of material samples	14820	
80	DM, PGCIL, Dehradun	Testing of material samples	3420	
81	M/s Nand Lal, Gov. Contr. Hanumangarh	Checking of str. Design of PMT bridge	1,14,000	
82	M/s Nand Lal, Gov. Contr. Hanumangarh	Checking of str. Design of steel bridge	74100	
83	DM, PGCIL, Dehradun	Testing of cement samples	3420	
84	UP Jal Nigam Etawah	Inspection of Kendriya Vidyalaya	21,52,745	
85	AE, MC, Karnal	Testing of interlocking tiles	1140	
86	SDO Civil Works, HVPNL, Gurgaon	Testinf of Steel Section	18240	
87	SDO, BBMB (pw), Chd.	Testing of PCC blocks	1140	
88	AE, Housing Board, Panchkula	Testing of concrete cubes samples	4560	
89	DM< PGCIL, Dehradun	Testing of concrete cubes samples	6840	
90	AEE, Civil Works, HVPNL, Hisar	Testing of material samples	5700	
91	SDE, SSA/RMSA Rohtak	Testing of bricks samples	6840	
92	ae, Civil Works, HVPNL, Hisar	Testing of material samples	7980	
93	SDE, PSD 4, PWD B&R, KNL	Testing of cement samples	3420	
94	SDE, PHE, S/D Pataudi	Testing of material samples	21755	
95	DC, Navodya Vidyalaya Samiti Pune	Inspection of school building	74425	
96	DM PGCIL, Sherpur, Dehradun	Testing of cement samples	3435	
97	DC, Navodya Vidyalaya Samiti Pune	Inspection of school building	57250	
98	SDO, Water Services, Jhansa	Testing of material samples	10305	
99	SDO Civil Constn. S/D UHBVN KNL	Testing of material samples	8015	
100	SDO Kunjpura W/S S/D KNL	Testing of material samples	3435	
101	BDPO Ismailabad	Testing of Interlocking Paver Blocks	3435	
102	ME MC Palwal	Inspection & non-destructive testing of building	68700	
103	M/s Z.H. Ind Ovt. Delhi Hapur Road, Massorrie, Gaziabad	Checking of str. Design & drgs. Of steel bridge	91600	
104	D.M. Plant IOCL KNL	Testing of material samples	11450	
105	SDO Bazidpur W/S S/D KNL	Testing of material samples	3435	
106	SDO Indri W/S S/D KNL	Testing of cement samples	3435	
107	DM PGCCIL, Sherpur, Dehradun	Testing of concrete cubles samples	9160	
108	SDO (PR) Saffidon	Testing of material samples	4580	

109	SDO Indri W/S S/D KNL	Testing of cement samples	3435	
110	DM PGCIL, Sherpur, Dehradun	Testing of concrete cube samples	2290	
111	SDO Indri W/S S/D KNL	Testing of cement samples	6870	
112	SDO KNL W/S Div. KNL	Testing of material samples	32060	
113	AE Civil Works S/D HVPNL, KNL	Testing of concrete cubes	2290	
114	SDE, PSD No.1 PWD B&R, Pehowa	Testing of cement concrete samples	1145	
115	Sr. S/Stasion Er. 220 KV S/S BBMB	Testing of material samples	2290	
116	SDO Civil Consn. S/D UHBVN KNL	Testing of material samples	10305	
117	Xen, Prov. Div. PWD B&R, Faridabad	Concrete mix design of M25 Grade	22900	
118	SDO KNL W/S Div. KNL	Testing of material samples	4000	
119	SDE, HSWC, Panipat	Testing of material samples	17175	
120	SDE, Prov. Div. PWD B&R Narwana	Concrete mix design of M40 Grade	22900	
121	Sr. S/Stasion Er. 220 KV S/S BBMB Samaypur	Testing of concrete cubes	1145	
122	XEN, HSAMB Sirsa	Checking of str. Design of coverage shed	34350	
123	Secy. MC Indri	Testing of material samples	2290	
124	SDE, PHE, S/D Dharuhera	Testing of concrete cubes, steel & cement	25190	
125	Project Mngr. Unit 4, C&D UP Jal Nigam, Meerut	Inspection of Residences under RAY, Meerut	40075	
126	SDO Civil Consn. S/D UHBVN KNL	Testing of concrete cubes	2290	
127	SDE, PHE S/D Dharuhera	Testing of bricks & testing of concrete cubles	22900	
128	Dy. Mngr, PGCIL, Dehradun	Testing of material samples	21755	
129	SDE, PHE, S/D Dharuhera	Testing of concrete cubes samples	30915	
130	SDE, PHE, S/D Dharuhera	Testing of concrete cubes samples	5725	
131		Checking of str. Design of office building	34350	
132	Xen, Housing Board, Gurgaon	Third party inspection of EWS flats Rewari	389300	
133	Xen, Housing Board, Gurgaon	Third party inspection of EWS flats Rewari	62975	
134	SDO KNL W/S Div. KNL	Testing of material samples	4008	
135	AE, Housing Board, Hr. Hansi	Testing of bricks samples	2290	
136	Xen, Housing Board, MG Road, Gurgaon	Third party inspection of project	68700	
137	SDO, W/S S/D Jyotisar	Testing of material samples	16030	
138	SDO, Panchayati Raj, KKR	Testing of paver blocks	4580	
139	DM, PGCIL, Sherpur, Dehradun	Testing of concrete cubes samples	2290	
140	SDE, PSD, PWD B&R, Saffidon	Testing of material samples	24045	
141	SDE, Warehousing Corporation, Panipat	Testing of material samples	28625	
142	Xen, Housing Board, KNL	Third party inspection of project	78940	
143	Xen, Housing Board, KNL	Third party inspection of project	193733	
144	Xen, Housing Board, KNL	Third party inspection of project	40767	
145	Xen, Housing Board, KNL	Third party inspection of project	106653	
146	Xen, Housing Board, KNL	Third party inspection of project	50740	
147	Sr. Mngr. ©, TCI Ltd. Gr. Kailash, New Delhi	Testing of material samples	3435	
148	Xen, Housing Board, KNL	Third party inspection of projects of Housing Board	50382	
149	Xen, Housing Board, KNL	Third party inspection of projects of Housing Board	98152	
150	Xen, Housing Board, Rohtak	Third party inspection of projects of Housing Board	1852992	
151	Sr. Project Mngr. C&DS UP Jal Nigam Ghaziabad	Technical inspection of Resi. Houses	31480	
152	DM, PGCIL, Sherpur, Dehradun	Testing of concrete cube samples	2290	
153	SDO, W/S S/D Jyotisar	Testing of material samples	11450	
		<b>Dr. Anupam Mittal</b>		
1	President ISCON, KKR	Testing of bearing capacity of soil	34284	
2	SDE, PHE, S/D No. II, Yamuna Nagar	Soil investigation for nature of soil & Angle	89888	
3	XEN<, Panchayati Raj, P/Kula	Testing of bearing capacity of soil	22472	
4	XEN<, Panchayati Raj, Yamuna Nagar	Testing of bearing capacity of soil	22472	
5	SDE, Huda, S/D No. 1, KKR	Testing of bearing capacity of soil	22472	
6	SDO Water Services, Jyotisar	Testing of bearing capacity of bridge	57000	
7	XEN, Huda, RGEC, Sonapat	Testing of bearing capacity of soil of Police Station	68400	
8	SDE, PSD No. 1, PWD B&S, Kaithal	Testing of soil samples for CBR, grain size OMC	11400	
9	XEN, HSAMB, Sirsa	Testing of bearing capacity of soil	22800	
10	CBM Industries, Naraina	Testing of soil report	22800	
11	XEN, Panchayati Raj, KNL	Testing of bearing capacity of soil	22800	
12	XEN, Panchayati Raj, Panipat	Testing of bearing capacity of soil	22800	
13	SDE, PHE, S/D No. III, Faridabad	Testing of bearing capacity of soil for constn. Of RCC	34200	
14	SDE, Prov. Div. PWD B&R, Kalayat	Testing of soil for CBR & MDD	5700	
15	XEN, PHE No. 1 Hisar	Testing of soil for OHSR	45600	
16	XEN, Panchayati Raj, Yamuna Nagar	Testing of bearing capacity of soil	22800	
17	XEN, PWD B&R, Narnaul	Testing of soil sample for CBR test etc.	5700	
18	Range Officer, Sadhaura, Yamuna Nagar	Testing of soil sample for DBD flats	7980	
19	Range Officer, Sadhaura, Yamuna Nagar	Vetting of design detail & estimate eathern dam	22800	
20	XEN, HSAMB, Kaithal	Testing of bearing capacity of soil	22800	
21	XEN, Panchayati Raj, Panipat	Testing of bearing capacity of multipurpose	22800	
22	SDE, PHE, S/D Indri	Testing of bearing capacity of OHSR	22900	
23	XEN, Panchati Raj, Yamuna Nagar	Testing of bearing capacity of Community Centre	114500	
24	SDO, HSAMB, Kaithal	MDD value of soil sample for Grain market	3435	
25	SDO, HSAMB, Kaithal	Testing of CBR value of soil sample	5725	
26	SDE, Huda, S/D No. 1I, Amabla	Testing of bearing capacity of soil for Swimming Pool	34350	
27	SDO, Naggal Water Services S/D Amabla	Testing of soil sample for MDD	3435	
28	SDO, Jhansi W/S S/D Ambala	Testing of soil sample for MDD	3435	
29	XEN, Prov. Div. 1, PWD B&R, Kaithal	Testing of bearing capacity of soil for E-Disha Kendra	22900	
30	SDE, PHE, S/D 1, Ch. Dadri	Testing of soil sample for Konkar content	2290	
31	SDE, PHE, S/D 1, Ch. Dadri	Sample collection for admixture of shingre/konkar	22900	
32	SDE, Huda S/D Jagadhri	Testing of bearing capacity of soil	45800	
33	SDO Kunjpora W/S KNL	Testing of bearing capacity of soil for MDD	3435	
34	XEN, Fatehabad W/S Div. Fatehabad	Testing of bearing capacity of soil for resi. Building	45800	
35	SDO Panchayati Raj, Israna	Testing of bearing capacity of soil for Choupal	22900	
36	SDE, Huda, S/D Jind	Testing of CBR value, MDD, LL, soil & plonfly ash	11450	
37	DGM-I, HSRBD Corp. Ltd. Gurgaon	Testing of sample from OGL & borrow area for CBR	62975	
38	SDO, HSAMB, Kaithal	Testing of soil for MDD & CBR value	5725	
39	SDO, Panchayati Raj, Pundri	Testing of dry density of soil for constn. Of steps for ghats	4580	
40	SDE, Huda S/D Jind	Testing of bearing capacity of soil for Community Centre	34350	
41	XEN, HPGCIL, RGT PP Khedar	for school in RGTPP	34350	
42	BAPS, Swami Narain Sanstha Akshardham N Delhi	Testing of bearing capacity of soil for Akshardham Temple, KKR	34350	
43	XE, PHE, Div. No. 1, Yamuna Nagar	Testing of bearing capacity of soil for STP	45800	
44	Sr. Mngr., HSCCI, Director KCGMC, KNL	Testing of GSB sample for constn. Of Hospital block	6870	
		<b>Mrs. Paratibha Aggarwal</b>		
1	SDO, Gohana W/S S/D Panipat	Testing of cement & bricks	13483	
2	SDE, PHE, S/D No. 2, A/Cantt	Testing of cubes & steel	12360	
3	PK Jain, Director, KCGMC, KNL	Testing of cement & steel	48057	
4	SDE, PHE, S/D Ladwa	Testing of cubes	11442	
5	SDE, PHE, S/D Saffidon	Testing of aggregates, cubes & cement	16854	
6	ME, MC, Panipat	Testing of tiles	3371	
7	SK Jain, C/O KCGMC, KNL	Testing of cement, steel & bricks	41573	
8	ME, MC Nissing	Testing of tiles	4494	
9	Sarpanch, Gram Panchayat, Brahman Thanesar	Testing of tiles	2247	
10	SDO Gohana, S/D Panipat	Testing of bricks & cement	7865	
11	SDO, Sanauli W/S S/D Panipat	Testing of cement & mix design	48315	
12	SDO, Sanauli W/S S/D Panipat	Testing of cement & bricks	12360	
13	Krishna Tiles, Uchana, KNL	Testing of tiles	2247	
14	PK Jain, Director, KCGMC, KNL	Testing of cement & steel	50562	
15	SDO, KNL W/S S/D KNL	Testing of cement, bricks & cubes	10113	
16	Shankar Lal Hindustan Fre.Fab. Ltd. New Delhi	Mix design of concrete	44944	
17	Siti Cable, KNL	Proof checking of str. Design	22472	
18	SDO, KNL W/S S/D KNL	Testing of cement & cubes	19102	

19	SDO, Gohana W/S S/D Panipat	Testing of bricks	4494
20	SDO, Naggal, W/S Amabla	Testing of design of concrete MDC	44944
21	SDE, PHE, S/D- I, Kurukshehra	Mix design of concrete	22472
22	PK Jain, Director, KCGMC, KNL	Testing of cement & steel	37079
23	SDO, Panchayati Raj, Babain	Testing of Paver Blocks	2247
24	SDO, Sanauli W/S S/D Panipat	Testing of cubes, bricks & cement	27360
25	SDO, Israna S/D Binjhol, Panipat	Testing of cubes, bricks & cement	66120
26	ME, MC, Nissing	Testing of tiles	1140
27	SDO, Naggal W/S S/D Ambala	Testing of cement, steel & sand	19380
28	SDO KNL W/S S/D KNL	Testing of cubes	12540
29	SDO, W/S S/D Jhansa	Testing of cubes	6840
30	SDO, W/S S/D Jhansa	Testing of cubes	2280
31	ME, MC Panipat	Testing of tiles	12540
32	SDO, KNL W/S S/D KNL	Testing of concrete	5700
33	PK Jain, Director, KCGMC, KNL	Testing of cement & steel	85500
34	SDO, WS S/D Jhansa	Testing of Tiles	3420
35	SDO Vigilance, KKR	Testing of Cubes	1140
36	Sarpach Gram Panchayat, Panchkula	Testing of Tiles	3420
37	Bal Kishan, Vicholia, KNL	Testing of Tiles	2280
38	Sarpanch Gram Panchayat, Panchkula	Testing of Tiles	2280
39	SDO, WS S/D Jhansa	Testing of Cubes	11400
40	SDO, Vigilance, KKR	Testing of Cubes	2280
41	SDO, Sanoli, W/S S/D Panipat	Testing of bricks & cement	12540
42	SDO, Naggal, W/S Amabla	Testing of Cubes	4560
43	SDO, Vigilance, S/D Ambala	Testing of Cubes	2280
44	SDO, Vigilance, S/D Ambala	Testing of Cubes	2280
45	SDO Naggal W/S S/D Ambala	Testing of Cubes	4560
46	XEN, MC, Fatehabad	Testing of Cubes	10260
47	PK Jain, Director, KCGMC, KNL	Testing of cement & steel	51300
48	SDE, PHE, S/D Ladwa	Testing of Cubes	5700
49	SHE, PHE, S/D-I, KKR	Testing of Cubes	5700
50	SDO, w/s S/D Jhansa	Testing of Cubes	5700
51	SDO, nAggal, W/S Amabla	Testing of Cubes	7980
52	sdo Jansui W/S S/D Ambala	Testing of Cement	6840
53	PK Jain, Director, KCGMC, KNL	Testing of Steel & Cement	54720
54	SDE, Huda, S/D III, Panipat	Testing of Tiles	1140
55	SDE, PHE, S/D Ladwa	Testing of Cubes	4560
56	SDE, PHE, Div. No. 1, KKR	Testing of Cubes	1140
57	SDE, PHE S/D Saffidon	Testing of Cubes, sand, steel & bricks	26220
58	Shiv Shakti, Manak Majra, KNL	Testing of Kerb Stone, drainage & tile	3420
59	PK Jain, Director, KCGMC, KNL	Testing of Cement & Steel	20520
60	SDO Naggal W/S S/D Ambala	Testing of Cubes	6840
61	SDO, Vigilance, Ambala	Testing of Cubes	2280
62	Vastu Mandal, SCF-6, KNL	Proof checking of str. Design	28500
63	ME, MC, Nissing	Testing of Cubes & Tiles	2280
64	SK Jain, DM ©, SSCCI, Sangrur	Testing of Steel & Sand	102600
65	SDO, KNL W/S S/D KNL	Testing of Cement & mix design	26220
66	TBEA, Green Park, Badodra	Proof checking of str. Design	28500
67	RK Jain, HSIIC, KCGMC, KNL	Testing of cement & steel	58395
68	Garg & Company, 209/19, Jind	Mix Design	22900
69	ME, MC, Nissing	Testing of Tiles	4580
70	SDE, PHE, S/D No. 1, Pinjore	Testing of Steel & Aggregates	16030
71	RK Sharma, WAPCOS, Chandigarh	Testing of Steel & Cubes	22595
72	SDO, Bazidpur, W/S S/D KNL	Testing of Cubes	6870
73	SDO Indri, W/S S/D KNL	Testing of Cubes	8015
74	SDO (Constn.), S/D II, HVPNL, KKR	Testing of Aggregates	5725
75	SDO S/D Constn. HVPNL Ambala	Testing of Aggregates	5725
76	Xen, TS Div., HVPNL, Hisar	Testing of Aggregates & Cement	9160
77	PK Jain, Sr. Mngr.(Civil) HSCCI, Noida	Mix Design of Concrete	2290
78	SDO, Israna S/D Binjhol, Panipat	Testing of Cubes, Cement & Steel	128240
79	Secy. MC, Indri	Testing of Tiles & Cubes	6870
80	Secy., MC, Indri	Testing of Tiles & Cubes	2290
81	SDO, KNL W/S S/D KNL	Mix Design of M10, M25 & M30	103050
82	Peer Baba Sai Services, Uncha Samana, KNL	Testing of Tiles	1145
83	PK Jain, C/O KCGMC, KNL	Testing of Steel & Cement	2290
84	PK Jain, C/O KCGMC, KNL	Testing of Steel & Cement	48090
85	SDO, KNL W/S S/D KNL	Mix Design of M10, M15, M25, M30 Grade Cement Sand, Agg. Bricks, Steel	117935
86	RK Sharma, WAPCOS, Chandigarh	Testing of Steel, Cubes & Bricks	20610
87	SDO, KNL W/S S/D KNL	Mix Design M 10, 15, 25 Grade Cement Bricks	84730
88	SDO, Nardak W/S, S/D KNL	Testing of Steel, Cement & Bricks	19465
		<b>Dr. Yogesh Aggarwal</b>	
1	AE, Housing Board, KKR	Testing of Tiles & Cubes	2247
2	SDE, Panchayati Raj, Pehowa	Testing of bricks	2289
3	SDE, PHE, S/D No. 1, Tohana	Testing of bricks, cement & mortar	45768
4	Garg & Co., Vivekanand Nagar, Jind	Mix Design of M25 Grade of Concrete	22884
5	Alpha Corpn., Nehru Place, N Delhi	Testing of tiles & concrete blocks	2289
6	BDPO, Ladwa, KKR	Testing of tiles	3433
7	XEN, MC, Kaithal	Proof checking of Str. Design of bldg.	39326
8	SDO (PR), Indri	Testing of tiles	3371
9	SDO, CW S/D No. II, HVPNL, Gurgaon	Testing of bricks	2247
10	ME, MC, Panipat	Testing of bricks & tiles	3371
11	SDO II, HSAMB, KNL	Testing of tiles	1124
12	BDPO Indri	Testing of tiles & C Cubes	12360
13	ME, MC Nissing	Testing of tiles	2247
14	Secy. MC Uchana	Design of Shoping Complex	224720
15	SDO II, HSAMB, Panipat	Testing of Concrete Sample	1124
16	Enarch. Consultant, Sec. 63, Noida	Vetting of Structure drawing	44944
17	SDE, PHE, S/D No. 5, Sonapat	Testing of cubes & Bricks	5618
18	Sri Vardhman Township, N Delhi	Testing of Steel	13483
19	SDE, PHE, S/D Hodal	Testing of Cubes	17978
20	SDE, PHE, S/D No. 5, A/City	Testing of Cement, Steel Bricks & Cubes	60677
21	SDE, PHE, S/D No. 1, KNL	Testing of Bricks & Steel	12360
22	SDE, PHE, S/D Raduar	Testing of Cubes	5618
23	XEN, Panchayati Raj, Panchkula	Str. Design of Community Centre	45768
24	SDE, Huda S/D Jagadhri	Testing of Bricks & Cubes	5700
25	Garg & Co., Vivekanand Nagar, Jind	Structure Design of Boundary Wall	22800
26	SDE, PWD B&R, Assandh	Testing of Cement	3420
27	Distt. Edu. Officer, Fatehabad	Testing of Bricks & Paver Blocks	3420
28	SDO, Huda, S/D No. 1, KKR	Testing of Concrete Cubes	2280
29	ME, MC, Panipat	Testing of Bricks & Tiles	21660
30	Chauhan Fly Ash Bricks, KNL	Testing of Bricks	2280
31	SDO (PR), Indri	Testing of Tiles	2280
32	SDO (PHE), S/D No. 1, KNL	Testing of Cubes	4560
33	SDE, PSD No. 1, PWD B&R, Shahbad	Testing of Tiles	1140
34	SDO (PR) Barwala, Panchkula	Testing of Tiles	10260
35	SDE, Huda, S/D No. 2, Sonapat	Testing of Cubes	2280
36	SDO PR Babain	Testing of bricks	2280
37	SDE, HSAMB, Pehowa	Testing of Tiles	2280
38	SDO (PR), Barwala, Panchkula	Testing of Tiles	11400
39	Sarpanch Gram Panchayat Barwala Panchkula	Testing of Tiles	1140
40	ME MC, Pundri	Testing of Tiles	3420

41	SDE, PSD II, PWD B&R Kaithal	Testing of Cubes	1140	
42	SDO (PR), Barwala, Panchkula	Testing of Tiles	3420	
43	Sarpanch Gram Panchayat Barwala Panchkula	Testing of Tiles	3420	
44	SDO Sanoli W/S S/D Panipat	Testing of Cubes	102600	
45	AE, MC, Kaithal	Testing of Tiles	5700	
46	SDE, Huda, Panchkula	Testing of cubes	2280	
47	SDO (PR), Barwala, Panchkula	Testing of Tiles	3420	
48	SDE, PSD, PWD B&R, Pehowa	Testing of cement, bricks & steel	22800	
49	SDE, PHE, S/D No. 5, Jhajjar	Testing of sand, bricks, cubes & agg.	14820	
50	SDE, PHE S/D No. 1 Kaithal	Testing of Cement & Cubes	4560	
51	ME, MC Kaithal	Testing of Tiles	3420	
52	AEE, CW, S/D HVPNL, Bhiwani	Testing of Cubes	2280	
53	ME, MC, Rajaund	Testing of Tiles	3420	
54	ME, MC, Kaithal	Testing of Tiles	6840	
55	SDE ©, Hafed, Karnal	Testing of Cubes	28500	
56	SDO (PR), Raipurani, Panchkula	Testing of cubes, bricks sand & agg.	2280	
57	SDE, SSA/RMSA, Rohtak	Testing of bricks	6840	
58	ME, MC, Kaithal	Testing of Tiles, bricks & agg.	9120	
59	Nitin Kr, JE, RMSA, Panipat	Testing of cement, bricks & cubes	6840	
60	SDO, Raipurarni, Panchkula	Testing of Tiles	3420	
61	Tuffwall Glazing, Mumbai	Proof checking of Str. Glazing system	34200	
62	Administrator, SDO (Civil), Hansi	Testing of bricks, cubes & tiles	13680	
63	SDO (PR), Barwala, Panchkula	Testing of Tiles	3420	
64	CBM Ind. Community Centre, N Delhi	Proof checking of structural drawing	22800	
65	SDO, HSAMB, Ambala	Testing of Concrete for compressive strength	5700	
66	SDO (PR), Raipurani, Panchkula	Testing of Tiles	2280	
67	SDE, PHE, S/D No. 1, Karnal	Testing of cubes, steel, bricks & cement	11400	
68	SDO (PR), Barwala, Panchkula	Testing of Tiles	1140	
69	President, BPR Sewa Samiti, Lohari, Panipat	Testing of Cement	3420	
70	ME, MC, Shahbad	Testing of Tiles	1140	
71	SDO (PR), Barwala, Panchkula	Testing of Tiles	1140	
72	CEO, PEC Consultancy Centre	Testing of bricks, sand, cubes & agg.	13680	
73	SDO, Saffidon, W/S Saffidon	Structural design of drawings	119700	
74	SDO, Barwala, Panchkula	Testing of Tiles	4560	
75	SDE, SSA/RMSA, Jhajjar	Testing of cubes, bricks, sand and agg.	7980	
76	SDE, PHE, S/D Gharaunda	Testing of bricks, steel & cement	12540	
77	SDE, S/D No. 5, Jhajjar	Testing of cubes	2280	
78	SDO (PR), Raipurani, Panchkula	Testing of Tiles	1140	
79	SDO (Civil), Hansi	Testing of Tiles	6840	
80	SDO (PR), Raipurani, Panchkula	Testing of Tiles	1140	
81	SDE, Huda, S/D No. 2, KKR	Testing of Tiles	1140	
82	SDE, PSD, PWD B&R, Assandh	Testing of cement	3420	
83	Secy, MC, Pehowa	Testing of cubes & tiles	3420	
84				
85	BDPO, Ismailabad	Structural Design	34200	
86	KNL Concrete Products, KNL	Testing of bricks	2280	
87	SDO (PR), Barwala, Panchkula	Testing of cubes	2280	
88	SDO (PR), Raipurani, Panchkula	Testing of Tiles	1140	
89	ME, MC, Panipat	Testing of tiles & bricks	23940	
90	BDPO, Shahzadpur	Testing of cubes & tiles	5700	
91	SDE, Huda, SD No. II, Ambala	Testing of Kerb Stone	1140	
92	SDE, PHE, S/D No. 5, Ambala city	Testing of Cubes, bricks, cement, steel & agg.	20520	
93	BDPO Thanesar	Testing of bricks	2280	
94	SDO HSAMB Shahbad	Testing of bricks	4560	
95	SDE, Huda, S/D Fatehabad	Testing of bricks & steel	19380	
96	Secy, MC, Tohana	Testing of Tiles	4560	
97	SDE, III, Huda, KNL	Testing of Steel	24510	
98	Project Mngr, WAPCOS, Mani Majra	Testing of cubes & steel	13680	
99	BDPO, Shahzadpur	Testing of Tiles	3420	
100	AE, MC, Karnal	Testin of tiles & cubes	4560	
101	AE©, S/D HVPNL, KNL	Testing of cubes	2280	
102	SDE III, Huda, KKR	Testing of cubes	7980	
103	Dr. Raju (GM), HGEIPL, Kaithal	Testing of cement & steel	13680	
104	Secy, MC, Bhawani Khera, Bhiwani	Testing of bricks	9160	
105	SDE, PHE, S/D No. II, Y Nagar	Testing of bricks, steel, cubes, cement & agg.	16030	
106	ME, MC Nissing	Testing of Tiles	1145	
107	Pradhan Hr. Gdariya Samaj, KKR	Proof. Checking of str. Design	22900	
108	SDO (PR), Barwala, Panchkula	Testing of Tiles	2290	
109	AE, MC, Karnal	Testing of Tiles	1145	
110	SDE, Huda, S/D Jagadhri	Testing of cubes & steel	24045	
111	BDPO, Shahzadpur	Testing of Tiles	3435	
112	SDE, Hafed, Panchkula	Testing of bricks, sand & agg.	16030	
113	Distt. Mngr. Hafed, Sonapat	Testing of bricks	9160	
114	ME, MC Pundri	Testing of cubes & tiles	2290	
115	Dy. G.M., NBCC, Faridabad	Mix design of concrete	45800	
116	SDE, PHE, S/D No. 5, A/City	Testing of sand, agg., steel & cement	26335	
117	Secy, MC Pehowa	Testing of Tiles	1145	
118	SDE, PHE, S/D Dharuhera	Mix design of concrete	45800	
119	SDO(PR) Barwala, Panchkula	Testing of Tiles	2290	
120	ME, MC, Karnal	Testing of Tiles	9160	
121	SDO, Bazidpur, W/S S/D Knl	Testing of cubes	17175	
122	SDE, PSD-II, PWD B&R, Pehowa	Testing of steel	6870	
123	BDPO, Barwala, Panchkula	Testing of Tiles	2290	
124	SDO Indri W/S S/D KNL	Testing of cubes	24045	
125	SDE, PSD-IV, PWD B&R, Rewari	Testing of bricks, sand & aggregate	18320	
126	SDE, Huda, S/D II, Ambala	Testing of steel, cubes & tiles	22900	
127	SDE, Huda S/D Fatehabad	Testing of cubes	1145	
128	SSE (Works), N. Rly, Jind	Testing of cubes, kerb & tiles	3435	
129	SDE, PHE, S/D II, Yamuna Nagar	Testing of bricks, steel, cubes, cement, agg, sand	16030	
130	ME, MC Kaithal	Testing of tiles	1145	
131	SDE, PHE, S/D Ghraunda	Testing of bricks, steel & cement	12595	
132	SDE, Huda, S/D Jagadhri	Testing of cubes & steel	8015	
133	AE, ME, Karnal	Testing of tiles & bricks	6870	
134	AE, PEC Univ. of Tech. Chandigarh	Testing of bricks, agg & cubes	13740	
135	SDO (PR), Barwala, Panchkula	Testing of tiles	1145	
136	XEN, PHE, S/D II, Rewari	Proof checking of str. Design of STP & MPS	57250	
137	SDO, SSA, SMSA, Panipat	Testing of bricks	2290	
138	SDE, Huda, S/D II, KKR	Testing of steel	6870	
139	SDO(PR), Barwala, Panchkula	Testing of cubes	1145	
140	XEN, MC, Panipat	Testing of bricks & tiles	6870	
141	SDE, PHE, S/D II, Ambala Cantt	Testing of bricks, cubes & mix design	27480	
142	Secy MC, Pundri	Str. Design of Fire Station in Pundri	45800	
143	AEE, CW, S/D HVPNL, KNL	Testing of cubes	2290	
144	SDE, SSA/RMSA Jhajjar	Testing of bricks & cubes	5725	
145	V.S. Enterprises, Palwal Road, KKR	Testing of tiles	1145	
146	XEN, MC, Karnal	Mix design M30, testing of steel, cement, sand & agg.	56105	
147	SDO (PR), Barwala, Panchkula	Testing of tiles	1145	
148	SDE, PHE, S/D No. 5, Sirsa	Mix design M20 & M30 concrete of bricks	48090	
149	SDE, PHE, S/D 5, Ambala Cantt	Testing of cubes	5725	
150	SDE, HKB, S/D 7, Jagadhri	Mix design of M 10 & M15 & cement	49235	
151	ME, MC, Ladwa	Testing of tiles	1145	
152	SDE, PD, PWD B&R, Kalayat	Mix design of concrete	22900	
153	SDO(PR), Barwala, Panchkula	Testing of cubes	2290	

154	SDO (Const.), S/D No. 10, Jagadhri	Mix design of M 10 & M15 grade of concrete	49235	
155	AE, MC, Karnal	Testing of tiles	2290	
156	SDE, P SD No. 1, PWD B&R, Pehowa	Testing of cement & steel	20610	
157	SDE, Huda, S/D No. 2, KKR	Testing of bricks & cubes	6870	
158	SDE(E), Hafed, Panchkula	Testing of cubes, bricks & stone dust	13740	
159	SDO, Israna, W/S S/D Binjhol, Panipat	Proof. Checking of steel railing Nohra drain	57250	
160	SDE, Hud, S/D Jagadhri	Testing of cubes, steel, bricks, tiles. Kerb	43510	
161	SDE, PHE S/D	Testing of bricks, steel, cubes & cement	14885	
162	Secy. MC, Indri	Testing of cubes	1145	
163	SDO Constn. S/D No. 2, KKR	Testing of cement, bricks & cubes	10305	
164	ME, MC, Kaithal	Testing of tiles & bricks	3435	
165	Secy. MC Shahbad	Testing of tiles	13740	
166	ME MC Nissing	Testing of tiles	1145	
167	SDE, PHE, S/D No. II, Y Nagar	Testing of cubes	3435	
168	SDE, PHE, S/D No. 1, PWD B&R, Karnal	Testing of tiles	1145	
169	SSE, N. Railway, Bahadurgarh	Testing of tiles	1145	
170	Chief Ex. Officer, PEC, Chandigarh	Testing of cubes	3435	
171	XEN, MC Panipat	Testing of tiles & bricks	10305	
		<b>Dr. Praveen Aggarwal</b>		
1	S Mngr. IA, HSIIDC,	Material Testing	50000	
2	SDE, Huda S/D II, Kurukshetra	Field Testing	89888	
3				
4	SDE, Huda S/D II, Kurukshetra	Pavement Design	95506	
5	SDE, Huda S/D I, Karnal	Material Testing	13549	
6	SDO, Water Services, S/D Jhansa	Material Testing	2280	
7	SM, Tech. Bldg. PNC Panipat	Material Testing	10260	
8	AE, AGE B/R AF Jhabua	Mix Design	11236	
9	AGM (IA), HSIIDC, Barwala	Mix Design	45600	
10	SDE, Huda, SD-II, Bahadurgarh	Material Testing	31920	
11	SDE, Huda, SD-II, Ambala	Pavement Design	57000	
12	SDE, Huda, S/D Bhiwani	Material Testing	107866	
13	SDE, Huda, SD-I, KKR	Field Testing	45600	
14	SDE, Huda, SD-I, KKR	Pavement Design	91200	
15				
16	SDE, Huda, SD-I, KNL	Material Testing	13483	
17	SDO, HSAMB, Ambala	Material Testing	2247	
18	M/s BGCC, Delhi	Mix Design	22472	
19	AGM, AAI, Shimla	Mix Design	214607	
20	SDE, HSAMB, Thanesar	Material Testing	6742	
21	SDE, Huda, SD-III, Knl	Material Testing	13483	
22	SDE, PSD, PWD B&R, Elnabad	Mix Design	11236	
23	EE, KUK Kurukshetra	Material Testing	2247	
24	SDO, HSAMB, Shahbad	Material Testing	4494	
25	SDE, Huda, S/D Jagadhri	Material Testing	2247	
26	SDE, Huda, S/D I, Karnal	Material Testing	2247	
27	EE, DDA, Dwarka	Mix Design	23596	
28	SE (Civil), PNC, Panipat	Material Testing	15730	
29	SDE, Huda, SD-II, Hisar	Field Work	56180	
30	SDE, Huda, SD-II, Hisar	Design Work	63520	
31	SDE, Huda S/D Sirsa	Material Testing	6742	
32	SDE, Huda, S/D Jagadhri	Pavement Design	67416	
33	EE Huda, Div. No. 1, Rohtak	Material Testing	15730	
34	M/S Ansal Housing & Constn. KNL	Pavement Design	124908	
35	SDE, HSAMB, Thanesar	Material Testing	4494	
36	SDO, HSAMB, Ismailabad	Material Testing	4506	
37	EE, DDA, Dwarka	Mix Design	12360	
38	SDE, Huda, S/D Jagadhri	Material Testing	25080	
39	SDE, Huda, S/D No. 1, KKR	Material Testing	4560	
40	EE, RPD-10, DDA, Delhi	Mix Design	6840	
41	M/s Ansal Housing & Constn. KNL	Field Testing	114000	
42	SDE, Huda, SD-I, KNL	Material Testing	27360	
43	M/s RN Jain, Govt. Contractor, KNL	Mix Design	34200	
44	SDE, Huda, S/D II, Bahadurgarh	Material Testing	13680	
45	ED, HICA, Chandigarh	Material Testing	22800	
46	SE, PEC Centre, PEC Chd.	Material Testing	9120	
47	SDE, Huda, Div. Narnaul	Material Testing	6840	
48	EE, Store Div. No. 1, DDA, Delhi	Mix Design	34200	
49	SDO, Water Services, S/D Jhansa	Material Testing	10260	
50	ME, MC, KNL	Material Testing	2280	
51	SDE, Huda, S/D III, KNL	Material Testing	2280	
52	ME, MC, Narnaul	Material Testing	13680	
53	Vice-President, AHCL, Delhi	Pavement Design	34200	
54	Sr. Er. (Civil), PNC Panipat	Material Testing	6840	
55	AE, KNL Central S/D CPWD KNL	Material Testing	25080	
56	SDE, Huda, S/D III, Panipat	Material Testing	4560	
57	AGM, HSIIDC, Barwala	Material Testing	36480	
58	SDE, PWD B&R, Barwala	Mix Design	47880	
59	M/s Singla Infrastructure Pvt. Ltd.	Material Testing	4560	
60	AGM, IA, HSIIDC, Manakpur	Material Testing	45600	
61	EE, HSAMB, Yamuna Nagar	Mix Design	11400	
62	SDE, Huda S/D No. 4, Faridabad	Pavement Design	17100	
63	EE, DDA Delhi	Mix Design	62700	
64	Sr. Str. PEC University, Chandigarh	Material Testing	5700	
65	SDE-II< HSAMB, Ambala	Material Testing	2280	
66	SDE, Huda, KKR	Material Testing	11400	
67	SDE, HSAMB, Thanesar	Material Testing	5700	
68	SDE, Huda S/D Bhiwani	Mix Design	22800	
69	SDE, PSD-I, PWD B&R, Panipat	Mix Design	34200	
70	Director, Gawal Constn, Gurgaon	Proof Checking	826500	
71	EE, HSAMB, Yamuna Nagar	Material Testing	27360	
72	SE, HSAMB, Yamuna Nagar	Pavement Design	17100	
73	SDE, Huda, S/D 2, KKR	Pavement Design	28500	
74	SDO, HSAMB, Bhiwani	Material Testing	5700	
75	SDE, Huda, S/D Jagadhri	Field Testing	22800	
76	SDE, Huda, S/D Jagadhri	Pavement Design	45600	
77	SDE, Huda, S/D No. 1, KKR	Material Testing	27360	
78	XEN, Prov. Div. II, PWD B&R, Gurgaon	Mix Design	91200	
79	SDE, PSD-I, PWD B&R, Shahbad	Mix Design	11400	
80	SDE, PSD-I, PWD B&R, Rohtak	Mix Design	68400	
81	Sr. Str. & QC PEC University, Chandigarh	Material Testing	11400	
82	SDE, PSD, PWD B&R, Jhajjar	Material Testing & Mix Design	64980	
83	SDE, PSD-2, PWD B&R, Bahadurgarh	Mix Design	34200	
84	AE-IV, WD-10, DDA, Delhi	Mix Design	11400	
85	SDE, Huda, S/D II, Amabla	Material Testing	11400	
86	SDE, Huda, S/D No. 1, KKR	Material Testing	5700	
87	AM(IA), HSIIDC, Barwala	Mix Design & Material Testing	17100	
88	AE, CPWD, Kurukshetra	Mix Design & Material Testing	17100	
89	SDE, Huda, S/D Kaithal	Material Testing	6840	
90	SDE, HSAMB, Jind	Material Testing	41040	
91	ME, MC, Panipat	Material Testing	2280	
92	SDE, PSD, PWD B&R, Saffidon	Mix Design	22800	

93	SDE, Huda, S/D No. 1, KKR	Material Testing	9120	
94	SDE, Huda, S/D No. 1, KKR	Pavement Design	34200	
95	M/s Ram Kr., Govt. contractor, Kurukshetra	Mix Design	11400	
96	Asstt. Manager, Rites, Gurgaon	Mix Design	17100	
97	Sr. Er. (Civil), PNC Panipat	Material Testing	6840	
98	SDE, Huda, SD-II, Panipat	Mix Design	22800	
99	SDE, PSD-2, PWD B&R, Ambala	Mix Design	14820	
100	SDE-II< HSAMB, Bhiwani	Material Testing	4560	
101	SDE, Prov. Div., PWD B&R, Kalayat	Mix Design	17100	
102	SDE, Prov. Div. IV, PWD B&R Kaithal	Mix Design	17100	
103	Sr. Civil Er., IOCL Refinery, Panipat	Material Testing	19380	
104	SDE, Huda, S/D Jagadhri	Material Testing	34200	
105	M/s Ansal Housing & Consn. Delhi	Field Testing	68400	
106	M/s Ansal Housing & Consn. Delhi	Pavement Design	79800	
107	EE, Huda, Bahadurgarh	Material Testing	36480	
108	EE, Huda, Bahadurgarh	Pavement Design	68400	
109	SDE, Hr. Tourism Corp., Panipat	Material Testing	4560	
110	SDE-III, HSAMB, Ambala	Material Testing	3420	
111	SDE, PSD, PWD B&R, Kaithal	Material Testing & Mix Design	47880	
112	SDE, Huda, S/D 2, Ambala	Material Testing	9120	
113	EE, Huda, Panipat	Material Testing	4560	
114	EE, SWD 8, DDA, Delhi	Mix Design	11400	
115	M/s Sarvodya Consn. Rewari	Mix Design	11400	
116	SDE, PSD No. V, PWD B&R, Karnal	Mix Design	6840	
117	SDE, PWD B&R, Barwala	Material Testing & Mix Design	28500	
118	SDE, Huda, S/D No. 2, KKR	Material Testing	4560	
119	Sr. Civil Er., IOCL Refinery, Panipat	Material Testing	57000	
120	SDE, PSD-II, PWD B&R, Bahadurgarh	Mix Design	45600	
121	S/D Huda, SD-II, Hisar	Material Testing	34200	
122	SDE-II, HSAMB, Ambala	Material Testing	2290	
123	ME, MC, Panipat	Material Testing	2280	
124	SDE, PSD-I, PWD B&R, Kaithal	Job mix formulae	11400	
125	SDE, PSD-II, PWD B&R, Jind	Mix Design	17100	
126	AE, MC, Hisar	Material Testing	2280	
127	AE, KKR CPWD, Kurukshetra	Material Testing	50160	
128	SDO-I, HSAMB, Kaithal	Material Testing	5725	
129	SDE, PSD No. 5, PWD B&R, Karnal	Mix Design	57250	
130	DSP, CM Flying Squad, Hisar	Material Testing	2290	
131	SDE, PSD-5, PWD B&R, Sirsa	Mix Design	28625	
132	Er. IOCL, Panipat	Material Testing	91600	
133	EE, Prov. Div. PWD B&R, Jind	Material Testing	11450	
134	SDE, HSAMB, Thanesar	Bitumen Content Testing	6870	
135	SDE, Huda, S/D Jagadhri	Material Testing	9160	
136	SDE, Huda, S/D II Panipat	Material Testing	4580	
137	M/s Ansal Housing Corp. Delhi	Pavement Design	11450	
138	M/s Prince Singla, KKR	Material Testing	2290	
139	AE (Civil), AGE (BR), Maharajpur	Material Testing & Mix Design	85875	
140	SDE, PSD-IV, PWD B&R, Gurgaon	WMM, DBM & CC Mix Design	51525	
141	EE, HSAMB, Gannaur	Testing of Bitument content	6870	
142	SDE, PSD-I, PWD B&R, Sirsa	GSB/Concrete Mix Design	91600	
143	SDE, HSAMB, Thanesar	BitumentContent Testing	9160	
144	M/s Ram Kr., Govt. contractor, Kurukshetra	GSB Mix Design	5725	
145	EE, WD-13, DDA Delhi	Mix Design	23000	
146	AE, MC, Karnal	BitumentContent Testing	2290	
147	AGM (IA), HSIIDC, Barwala	Bitument test+DBM+SDBC+BC	68700	
148	AE-II, WD-15, DDA Delhi	BM & BC Mix Design	17175	
149	EE, Prov. Div. PWD B&R, Bhiwani	GSB & CC Mix design	40075	
150	SDE, PSD, PWD B&R, Sirsa	DBM & BC Mix Design	22900	
151	AE, PEC Centre, Chandigarh	Grading & AIV Test	11450	
152	ME, MC, Thanesar	Testing of Bitument content	2290	
153	SDE, Huda, S/D Amabla	Testing of Bitument content/Grading & Density	13740	
154	AE (Civil), AGE B/R-II, PMES Halwara	Mix Design	183200	
155	SDE, P/D No. 2, PWD B&R, Narwana	GSB Mix Design	5725	
156	SDE, Huda, S/D No. 2, KKR	Mix Design	22900	
157	SDE, Huda, S/D III, Karnal	Procter Test & GSB Mix Design	11450	
158	AGM(IA), HSIIDC, Bawal, Rewari	Crust Designs	68700	
159	SDE, PSD-II, PWD B&R, Jind	WMM, DB & BC Mix	45800	
160	SDE, Huda, S/D Kaithal	Testing of Kerbs & channels	3435	
161	SDE, Huda S/D II, Panipat	Bitument content testing	2290	
162	SDE, PSD, PWD B&R, Elnabad, Sirsa	CBR Testing	11450	
163	SDE, PSD-III, PWD B&R, Panipat	GSB, BC, CC Mix Design	57250	
164	SDE, Huda S/D No. 2, KKR	Compressive Strength Testing	4580	
165	EE, SWD-9, DDA, Delhi	Design Mix	22900	
166	SDE, PSD No. 1, PWD B&R, Pehowa	CBR Testing	13740	
167	Sr. Mngr. IMT, Manesar	Mix Design (DBM & BC)	22900	
168	SDE, Huda, SD-II, Ambala	Checking of Mix Design	11450	
169	SDE, Huda, S/D 1, KNL	Design Mix (SDBC, DBM & WMM)	28625	
170	SDE, PSD-1, PWD B&R, Pehowa	DBM & BC Mix Design	22900	
171	Sr. Mngr. IA, HSIIDC, Narwana	Pavement Design	22900	
172	M/s Versha, RMC, Delhi	Cement concrete Mix Design	34350	
173	EE, SWD-7, Sector 5, DDA Dwarka	SMA Job mix design	11450	
174	SDE, PSD-1, PWD B&R, Kaithal	Testing of Bitument sample	11450	
175	SDE, Huda, S/D No. 1, KKR	Job mix formula	45800	
176	SDE, PSD-II, PWD B&R, Sirsa	GSB, WMM Mix Design & sould fly ash CBR Wing	34350	
177	SWD-I, DDA, Delhi	CC & SMA Mix Design	28625	
178	SDE, SD-IV, PWD B&R, Gurgaon	CC Mix Design	45800	
179	SDE, Huda S/D III, Karnal	Gradation Test	2290	
180	EE, MC, Karnal	Bitument content testing	4500	
181	DM (Ops), Lalru LPG Plant, Lalru	Testing of Paver Blocks	5725	
182	SDE, Huda S/D Jagadhri	Testing of Bitument content	6870	
183	AE, PEC Centre, Chandigarh	Grading & Impact Value Test	17175	
184	AGE (B/R-II), MES, Halwara	M20 M25 & M30 Mix Design	68700	
185	EE, FOD-1, DDA Delhi	EE	28625	
		<b>Dr. S K Patidar</b>		
1	SDO, Const., S/D HVPNL, Rewari	Water Analysis for construction work	11236	
2	Sr. Mngr. HSCCI, Noida	Water Analysis for construction work	5618	
3	AE(Civil), CPWD, Kurukshetra	Water Analysis for construction work	5700	
4	EE, HVPNL, Hisar	Water Analysis for construction work	11400	
5	EE, HVPNL, Hisar	Water Analysis for construction work	11400	
6	AE(Civil), CPWD, NIT, Kurukshetra	Water Analysis for construction work	5700	
7	SDE, PSD, PWD B&R, Kaithal	Water Analysis for construction work	5700	
8	SDE, PSD, PWD B&R, Tohana	Water Analysis for construction work	5700	
9	AE, CPWD, Mahendergarh	Water Analysis for construction work	5700	
10	Sr. Mngr. HSCCI, Noida	Water Analysis for construction work	5700	
11				
12	Sr. Mngr. HSIIDC, Saha	Water Analysis for construction work	5700	
13	AE, KNL CPWD, Kaithal	Water Analysis for construction work	5700	
14	AE, KNL CPWD, Kaithal	Water Analysis for construction work	5700	
15	SDE, PSD No. 1, PWD B&R, Rohtak	Water Analysis for construction work	5700	
16	AE, Civil, CPWD NIT, Kurukshetra	Water Analysis for construction work	5700	
17	SDE, PSD NO. IV, PWD B&R, Sonapat	Water Analysis for construction work	5725	

18	SDE, PSD No. 6, PWD B&R, Sirsa	Water Analysis for construction work	5725	
19	AE (Civil), NIT CPWD, Kurukshetra	Water Analysis for construction work	5725	
20	EE, PHE, Div. No. 1, Yamuna Nagar	Vetting of documents of 24 MLD STP based on SBR Technology	143125	
21	AEE, Civil Works, HVPNL, Jind	Water Analysis for construction work	5725	
22	AEE, Civil Works, HVPNL, Jind	Water Analysis for construction work	5725	
23	EE-I, MC, Karnal	Water Analysis for construction work	5725	
24	AE(Civil), NIT CPWD, Kurukshetra	Water Analysis for construction work	5725	
25	AE, Chd. CPWD, Chandigarh	Water Analysis for construction work	5725	
		<b>Dr. S N Sachdeva</b>		
<b>S.No.</b>	<b>Client Organization</b>	<b>Title of Consultancy of Project</b>	<b>Amount Recd.</b>	
1	Asstt. Dir., HIRMI, KKR	Testing of samples	5618	
2	AE(C) AGE BIR II Gurgaon	Job mix design for road work	14045	
3	SDE PSD I PWD B&R Rewari	Job mix design for road work	14045	
4	SDE PSD III PWD B&R Kaithal	Job mix design for road work	22472	
5	SDE PSD 4 PWD B&R Karnal	Job mix design for road work	8427	
6	Xen WD 10, DDA New Delhi	Job mix design for road work	11236	
7	Xen, HUDA No. 1 Hisar	Pavement design of roads	112360	
8	SDE PSD I, PWD B&R Panipat	Testing of samples of road work	22472	
9	GM (Tech.) NHAI, Chd	Testing of samples of road work	2809	
10	SDE HUDA S/D Jhajjar	Testing of samples of road work	8989	
11	Asstt. Dir., HIRMI, KKR	Testing of samples of road work	5618	
12	SDE, PSD II PWD B&R Beri	Testing of soil samples	8989	
13	SDE, PSD I PWD B&R Pehowa	Testing of soil samples	33708	
14	SDE, PSD II PWD B&R Beri	Job mix design for road work	8427	
15	SDE, PSD II PWD B&R Jhirka	Job mix design for C C Pavement	11236	
16	Sr. Manager HSIIDC, Rai	Job mix design for road work	5618	
17	Manager (Tech.) NHAI A/City	Job mix design for road work	25281	
18	Sr. Manager HSIIDC, Bahadurgarh	Job Mix Design/Testing of material at road work	33708	
19	SDE, PSD I PWD B&R Pehowa	Testing of soil samples of GSR	16854	
20	SDE, PSD IV PWD B&R Sonapat	Job mix design for road work	22472	
21	SDE, PSD I PWD B&R Shahbad	Job mix design for road work/testing of material	17100	
22	SDE, PSD IV PWD B&R Sonapat	Job mix design for road work/testing of material	8550	
23	SDE, PSD IV PWD B&R Sonapat	Job mix design for road work	8550	
24	SDE, PSD I PWD B&R Kaithal	Job mix design for road work	22800	
25	SDE, PSD II PWD B&R Rewari	Job mix design for road work	22800	
26	SDE Mtc. S/D PWD B&R Karnal	Testing of soil samples for road work	8550	
27	Xen SWD 8/7 DDA Delhi	Job mix design for road work	22800	
28	SDE PSD 6 PWD B&R Rohtak	Job mix design for road work	8550	
29	SDE PSD 3 PWD B&R Gharunda	Job mix design for road work	51300	
30	SDE, PSD I PWD B&R Panipat	Job mix design for road work	17100	
31	SDE, PSD I PWD B&R Narwana	Job mix design for road work	22800	
32	SDE, PSD I PWD B&R Mohindergarh	Job mix design for road work	17100	
33	SDE, PSD 5 PWD B&R Karnal	Testing of soil for CBR	5700	
34	SDE, PSD I PWD B&R Kosli	Job mix design for road work	28500	
35	SDE Mtc. S/D PWD B&R Karnal	Job mix design for road work	11400	
36	Sr. Manager HSIIDC IMT Rohtak	Testing of samples	5700	
37	AGM HSIIDC IE Maheshpur	Job mix design for road work	11400	
38	SDE PSD 5 PWD B&R Karnal	Testing of samples	2280	
39	DGM HSIIDC IMT Rohtak	Testing of materials & Job Mix Design	62700	
40	SDE PSD I PWD B&R Yamuna Nagar	Job mix design for road work	11400	
41	SDE PSD I PWD B&R Kaithal	Testing of materials & Job Mix Design	11400	
42	SDE PSD I PWD B&R Karnal	Testing of materials & Job Mix Design	51300	
43	SDE PSD I PWD B&R Shahbad	Job mix design for road work	17100	
44	SDE PSD 3 PWD B&R Jhajjar	Job mix design for road work	17100	
45	Xen PD II PWD B&R Gurgaon	Job mix design for road work	22800	
46	AGM HSIIDC IE Maheshpur	Job mix design for road work	28500	
47	SDE PSD 3 PWD B&R Faridabad	Job mix design for road work	5700	
48	SDE PSD II PWD B&R Pehowa	Testing of samples of soil for road work	34200	
49	SDE MTC. S/D PWD B&R Palwal	Job mix design for road work	45600	
50	SDE PSD PWD B&R Hodal	Job mix design for road work	51300	
51	SDE MTC. S/D PWD B&R Karnal	Job mix design for road work	17100	
52	Xen HSAMB Jhajjar	Pavement design of roads	67908	
53	M/s SKI Solutions New Delhi	Testing of material for road repair works	28500	
54	SE PSD PWD B&R Mohindergarh	Job mix design for road work	22800	
55	Xen PD PWD B&R, Bhiwani	Job mix design for road work	17100	
56	SDE PD PWD B&R, Narwana	Job mix design for road work	11400	
57	ME MC Sonapat	Testing of samples	5700	
58	SDE PSD PWD B&R Ch. Dadri	Job mix design for road work	8550	
59	SDE PSD IV PWD B&R Karnal	Job mix design for road work	17100	
60	SDE PSD PWD B&R Nuh	Job mix design for road work	17100	
61	SDE PSD 1 PWD B&R Sohna	Job mix design for road work	8550	
62	SDE PSD 1 PWD B&R	Job mix design for road work	17100	
63	G R Infra Project Ltd New Delhi	Testing of soil samples for road work	22900	
64	GE (AF) Military Ey. Services,Sirsa	Testing of job mix design of road work	28625	
65	DSP CM Office Flying, Hisar	Testing of samples for road work	11400	
66	SDE Mtc. S/D PWD B&R Karnal	Job mix formula for road work	28625	
67	AE, CPWD, Hisar	Testing of samples	5725	
68	SDE PSD PWD B&R Hathin	Job mix design for road work	11450	
69	SDE PSD PWD B&R Ballabhgarh	Job mix design for road work	40075	
70	SDE PSD PWD B&R Jhajjar	Job mix design for road work	42938	
71	SDE PSD PWD B&R Pundri	Job mix design for road work	34350	
72	SDE PSD PWD B&R Pehowa	Job mix design for road work	8588	
73	SDE PSD PWD B&R Sirsa	Job mix design for road work	28625	
74	Manager HSRDC, Rewari	Job mix design for road work	51525	
75	SDE PSD-IV PWD B&R Hisar	Job mix design for road work	22900	
76	Xen 1, HUDA Div. I, Faridabad	Design of Pavement	57600	
77	Xen PD PWD B&R Narwana	Testing of samples	5725	
78	SDE, HUDA S/D Bhiwani	Design of Pavement of roads	103050	
79	Xen, HSAMB, Sirsa	Design of road pavement	85875	
80	SDE PSD PWD B&R Siwani	Job mix design for road work	11450	
81	Xen SWD 8 DDA, Dwarka	Job mix formula for road work	34350	
82	DGM/DDC Continent Corp. Ludhiana	Job mix design/Testing for road work	28625	
83	Xen PD I PWD B&R Sirsa	Testing of samples	5700	
84	Addl. Chief, WAPCOS, Gurgaon	Job mix design for road work	14313	
85	SDE PSD IV PWD B&R Ambala	Testing of soil samples	5725	
86	SDE PSD PWD B&R Shahbad	Job mix design for road work	8588	
87	Sr. Manager(IA) HSIIDC, Rohtak	Testing of samples/Job Mix design	34350	
88	Project Manager L&T Rohtak	Job mix design for road work	22900	
89	Sr. Manager(IA) HSIIDC, Saha	Design of Pavement for roads	137400	
90	SDE PSD 1 PWD B&R Pehowa	Job mix formula for road work	22900	
91	AE HSR Central S/D CPWD Hisar	Job mix formula for road work	8588	
92	SDE PSDI PWD B&R Bahadurgarh	Job mix formula for road work	25763	
93	Sr. Manager(C), HSCCI Noida	Testing of materials	11450	
94	SDE, PSD-IV PWD B&R Sonapat	Testing of sample of soil	11450	
95	SDO I HSAMB Kaithal	Job mix formula for road work	5725	
96	SDO(M), PWD B&R Ch. Dadri	Job mix formula for road work	22900	
97	SDE PSD IV PWD B&R Ambala	Design of C C Pavement	45800	
98	SDE PSD PWD B&R Assandh	Job mix formula for road work	20038	
99	Xen PD I PWD B&R Rohtak	Job mix formula for road work	34350	
100	SDE PD 2 PWD B&R Narwana	Job mix design for road work	17175	
101	Xen PD I PWD B&R Nuh	Job mix design for road work	28625	



Dr. S K Madan			
Sr.No.	Client Organization	Title of Consultancy of Project	Amount Recd.
1	SDE, Ph S/D No. 4, KKR	Testing of material for sewage facility	8550
2	SDE(C) GJU Hisar	Testing of material of GJU Hisar	24157
3	SDE, PHE, S/D 4, Ambala cantt	Testing of samples for OHSR	5700
4	AEII, M C Karnal	Testing of interlocking tiles	2280
5	Resident Er. PWD B&R Faridabad	Concrete Mix design for re-constn. Of bridge	45000
6	Dxen, M C Trust Cell, Karnal	Testing of paver blocks	2280
7	Project Manager, CPWD, M/Garh	Third party quality control	495900
8	SDO, RU WS S/D II Jhajjar	Concrete Mix design for VR bridge	67416
9	SDE, PSD 1 PWD B&R Rohtak	Testing of materials for Govt. College	30337
10	SDE PH Engg. Sonapat	Testing of samples	16854
11	AE MC Karnal	Testing of material	12360
12	Xen, MC Trust Cell, karnal	Testing of material	3371
13	SDO, Sohna W/S Sohna	Concrete mix design M10, M15 M25	67416
14	AE, MC Karnal	Testing of materials for various works	23596
15	Xen, MC Karnal	Testing of Power blocks for Sabzi Mandi	2247
16	Zecy, M C Naraingarh	Testing of materials for various works	13483
17	ME, MC Ambala	Testing of samples	5618
18	Xen, HSAMB, karnal	Str. Design of RCC wall at NGM Indri	44944
19	Xen, M C Karnal	Str. Design of RCC wall at Budha Khara	44944
20	Xen, PH Engg. Sirsa	Proof checking of str. Design of RCC OHSR	67416
21	ME, MC Yamuna Nagar	Testing of comp. Of strength Jagadhri	3371
22	Allied Engrs, Pitampura N.Delhi	Proof checking of str. Design of STP	39326
23	Secy, M C Naraingarh	Testing of samples for various works	13483
24	ME, MC, Thanesar	Testing of CC Cubes	10112
25	SSE, N Rly, Kurukshetra	Testing of CC Cubes	2280
26	ME, MC Yamuna Nagar	Testing of materials for MC	3420
27	Xen, Panchyati Raj, Sonapat	Testing of materials for EWS	9120
28	ME, MC Yamuna Nagar	Testing of samples for various works	15960
29	ME, MC Yamuna Nagar	Testing of interlocking blocks	1140
30	ME, MC Yamuna Nagar	Testing of interlocking blocks	4560
31	Operation Manager, IOC, Ambala	Inspection of Pumping Station	28500
32	ME, MC Yamuna Nagar	Testing of CC Blocks	3420
33	SE, Power Grid Crop, Kaithal	Testomg pf aggregates for LV DE to;es	15960
34	ME, MC Yamuna Nagar, Jagadhri	Testing of paver blocks	3420
35	ME, MC Yamuna Nagar, Jagadhri	Testing of CC Cubes	4560
36	SDO Hisar W/S Hisar	Concrete mix design M10 M15 M25	68400
37	SM(IA), HSIIDC, Saha	Testing of materials	25080
38	SDO, Vigilance S/D Narwana	Testing of steel bars	17100
39	ME, MC Yamuna Nagar, Jagadhri	Testing of materials	6840
40	ME, MC Yamuna Nagar, Jagadhri	Testing of materials	9120
41	ME, MC Yamuna Nagar, Jagadhri	Testing of materials	21660
42	ME, MC Ambala	Testing of CC Cubes & blocks	10260
43	ME, MC Yamuna Nagar, Jagadhri	Testing of CC Cubes	10260
44	Xen, MC Karnal	Testing of blocks	2280
45	Radhe Shyam Contractor, Gurgaon	Concrete Mix design M 35 M15 for HL bridge	45600
46	Xen Hisar W/S Div. Hisar	Proof checking str. Design of bridge	68400
47	ME, MC Yamuna Nagar, Jagadhri	Testing of C C Cubes	7980
48	ME, MC Thanesar	Design of M30 & M10 for CC	45600
49	ME, MC Yamuna Nagar, Jagadhri	Testing of materials	4560
50	SDE, HUDA S/D 6, Faridabad	Proof checking str. design of RCC	45600
51	Xen, Panchyati Raj, Yamuna Nagar	Testing of bricks	2280
52	Xen, Panchyati Raj, Bhiwani	Testing of bricks	2280
53	SM(IA), HSIIDC, Saha	Testing of CC samples/cubes	4580
54	ME, MC Yamuna Nagar	Testing of cubes	3420
55	SDO, Jansui W/S S/D Ambala	Str. Evaluation of Overhead Tank	28500
56	ME, MC Yamuna Nagar, Jagadhri	Testing of compressive strength	6840
57	ME, MC Yamuna Nagar, Jagadhri	Testing of C C Cubes	25080
58	Project Manager, Pasvsnadh Dev, Karnal	Testing of kerb stones for Parsvsnadh	1140
59	SDO, Pundri S/D Pundri	Testing of materials	11400
60	ME, MC Thanesar	Testing of C C Cubes for various works	46740
61	Xen, Civil, GHU, Hisar	Third party inspection of various works	1368000
62	Xen, Irrigation GWRD Karnal	Testing of samples for Lining work	6840
63	M/s. Gawar Contb. Gurgaon	Proof checking of various structures	1596000
64	SDO, Constrn., S/D HVPNL, Rewari	Testing of C C Cubes for 132 KV D/C Nangal	12540
65	Sr. Manager, HSIIDC, Saha	Testing of samples for CETP	6840
66	CG, NBCC, New Delhi	Third party quality control & quality assurance	3420000
67	M/s. Pioneer Constrn. Hisar	Concrete Mix design for MES Hisar	22280
68	ME, MC Yamuna Nagar	Testing of materials for various works	6840
69	ME, MC Yamuna Nagar	Testing of materials for various works	5700
70	ME, MC Yamuna Nagar	Testing of materials for various works	3420
71	ME, MC Yamuna Nagar, Jagadhri	Testing of materials for various works	7980
72	ME, MC Ambala	Testing of materials for various works	14820
73	Site Engr., BPCL Panipat	Testing of coarse aggregates	11400
74	ME, MC Yamuna Nagar	Testing of compressive strength of C C Cubes	5700
75	Xen PH Engg. Ambala City	Site visit for water drain at Ambala City	28500
76	SDE, PSD 2 PWD B&R, Ambala	Concrete Mix Design M30 for PWD B&R Ambala	22800
77	ME, MC Yamuna Nagar, Jagadhri	Testing of samples	4560
78	Sr. Manager, HSIIDC, Saha	Testing of samples for constn. Of CETP at Saha	15960
79	Sr. Manager (C), HSEC, Noida	Concrete Mix design M 25 & M30	45600
80	ME, MC Yamuna Nagar, Jagadhri	Testing of materials for various works	4560
81	ME, MC Yamuna Nagar, Jagadhri	Testing of materials for various works	4560
82	SDE, PSD 1 PWD B&R Chandigarh	Testing of steel bars	17100
83	Sr. Manager, HSIIDC, Saha	Testing of materials for SMLD	9120
84	SDO Vigilance S/D, Narwana	Testing of cubes	1140
85	ME MC, Ambala	Testing of materials for various works	22800
86	ME, MC Yamuna Nagar	Testing of C C Cubes	5700
87	SDE, PWD B&R Ambala Cantt.	Concrete Mix Design of various works	45600
88	SDE PH S/D Kurukshetra	Testing of materials for various works	13680
89	ME, MC Yamuna Nagar	Testing of C C Cubes	4560
90	Xen Panchyati Raj, Panipat	Structure design for Community Hall, Panipat	57000
91	ME, MC Gharaunda	Testing of materials	4560
92	ME, MC Yamuna Nagar	Testing of materials	11400
93	ME, MC Yamuna Nagar	Testing of materials	11400
94	SDE PSD No. 1 PWD B&R, Kaithal	Concrete mix design M 30	22800
95	SDE, PSD No. 2, PWD B&R Jind	Concrete mix design M 30	22800
96	ME, MC Yamuna Nagar	Testing of materials	2280
97	ME MC, Ambala	Testing of samples	1140
98	ME, MC Yamuna Nagar, Jagadhri	Testing of C C Blocks	5725
99	Sr. Manager, HSIIDC, Saha	Testing of C C Blocks	35495
100	ME MC, Ambala	Testing of C C tiles	6870
101	ME, MC Yamuna Nagar, Jagadhri	Testing of materials	3435
102	SDE PHE S/D 1, Ch. Dadri	Testing of materials for water works	17175
103	Xen, MC Ambala	Concrete Mix design	45800
104	ME, MC, Thanesar	Testing of concrete cubes	14885
105	Sr. Manager (CSR) IOCL, Panipat	Testing of materials for IOCL	10305
106	Manager(T L Constb. Power Grid Panipat	Testing of materials	20610
107	Allied Ers. Pitampura, New Delhi	Vetting of str. Design of trust	28625
108	SDE, PSD No. 6. PWD B&R, Sirsa	Testing of samples for revenue staff	24045
109	BDPO, Barwala	Testing of samples for Badapatti block	6870

110	ME, MC, Yamuna Nagar	Testing of C C Cubes	4580
111	ME, MC, Yamuna Nagar	Testing of C C Cubes & blocks	10305
112	SDE, PHE S/D Farukh Nagar	Concrete Mix design for water supply	45800
113	Distt. Project Control, Ambala	Testing of bricks	2290
114	Distt. Project Control, Kurukshetra	Testing of samples	2290
115	SDO Naggal W/D S/D Ambala	Testing of samples	8015
116	SDO Vigilance W/D S/D Ambala	Testing of bricks and cement	5725
117	ME, MC, Yamuna Nagar	Testing of materials	2290
118	Xen. Vigilance Div. Sirsa	Testing of bricks & cement	4580
119	SDE PHE S/D 1, Ch. Dadri	Testing of materials	3435
120	Project Manger (W), Delhi Cantt.	Testing of structure	229000
121	Manager(T L Constn. P. Grid Panipat	Testing of materials	12595
122	ME, MC, Yamuna Nagar	Testing of cubes	4580
123	Manager(T L Constb. P. Grid Panipat	Testing of cubes	3425
124	ME, MC, Ambala	Testing of cubes, bricks & steel	16030
125	ME, MC, Naraingarh	Testing of samples for various development works	20610
126	ME, MC, Yamuna Nagar	Testing of C C Cubes	12595
127	SDO FBD W/S S/D Faridabad	Design of mix concrete	22900
128	SDO Naggal W/D S/D Ambala	Testing of bricks	2290
129	SDO Vigilance S/D Ambala	Testing of bricks	2290
130	SDO Water Services S/D Jyotisar	Testing of cement	17175
131	Sr Manager(IA) HSIIDC, Saha	Testing of samples for HSIIDC, Saha	40075
132	ME, MC, Yamuna Nagar, Jagadhri	Testing of materials	8015
133	ME, MC, Yamuna Nagar, Jagadhri	Testing of C C Cubes & tiles	11450
134	SE WS Circle, Faridabad	Vetting of str. Dsgn of M S Wire fencing	22900
135	Secy. MC Samalkha	Testing of materials	11450
136	M E MC Ambala	Testing of samples	8015
137	Xen II, Manipur Tribal Dev. N.Delhi	Third party quality assurance for school	91600
138	ME, MC, Yamuna Nagar, Jagadhri	Testing of materials	13740
139	ME, MC, Ambala Sadar	Testing of bricks	2290
140	DSP HQ Flying Sq. Haryana	Testing of interlocking bricks	2290
141	XEN, K U Kurukshetra	Testing of paver blocks	1145
142	Sr. Manger(I) Fontas Water, Delhi	Vetting of str. Design of STP	80150
143	ME, MC, Ambala	Testing of samples for various works	19465
144	ME, MC, Yamuna Nagar, Jagadhri	Testing of materials	4580
145	SDO Vigilance S/D Ambala	Testing of materials	5725
146	SDO Naggal W/D S/D Ambala	Testing of bricks	4580
147	SDO Water Services S/D Pehowa	Concrete mix design for Head Regulator	45800
148	Xen, M C Thanesar	Concrete mix design for C C road	45800
149	ME, MC, Yamuna Nagar, Jagadhri	Testing of materials	8015
150	SDO Karnal W/S S/D Karnal	Testing of materials	22900
151	Sr. Manager, HSIIDC, Saha	Proof checking of str. Design of Gates & Gearing	53815
152	SDO Water Services Pehowa	Testing of samples for constn. Of CETP at Saha	17175
153	ME MC Yamuna Nagar	Testing of materials	10305
154	ME MC Yamuna Nagar	Testing of materials	3435
155	SDE PSD PWD B&R Ch. Dadri	Testing of materials	22900
156	PLRC Ltd., Hyderabad	Concrete Mix Design	68700
157	SDE. PSD No. 6. PWD B&R, Kaithal	Testing of paver blocks	2290
158	ME, MC, Yamuna Nagar, Jagadhri	Testing of C C Cubes	10305
159	ME MC Ambala Sadar	Testing of samples	44655
160	Xen MC Yamuna Nagar	Testing of samples	1145

**Dr. V P Singh**

Sr.No.	Client Organization	Title of Consultancy of Project	Amount Recd.
1	SDO, Water Services, Jyotisar	Testing of concrete cubes samples	2809
2	SDO, Vigilance S/D, Kurukshetra	Testing of concrete cubes samples	1124
3	SDO, Panjuana W/S Panjuana	Testing of cement and bricks	22472
4	SDO, F/Puri W/S SD Jhajjar	M10, M15, M 25 mix design & Steel	37641
5	SDO, S/D No. 7, Rohtak	M10, M15, M 25 mix design	33708
6	SDO, Safidon S/D Safidon	Testing of Cement & concrete cubes samples	26405
7	SDO Vigilance S/D Jagadhari	Testing of concrete cubes samples	562
8	Sr. Civil Engr. Panipat Refinery	Testing of cement, bricks and sand	4494
9	SDE Ph Engg. Dhauhera	M10, M25, M30, M20 concrete mix design	89888
10	M/s. Aravali Services Dehradun	Proof checking of bridge	56180
11	M/s. Jain Contractor, Sohna	Design of UGT at Palwal	39326
12	Design Asso. Mayur Vihar, Delhi	Proof checking of str. Design of bldgs. Sultanpur	16854
13	SDO, Deoser W/S S/D Hisar	Testing of steel and concrete mix design	71910
14	DSP, Flying Squad, Karnal	Testing of steel and bricks	7303
15	Xen., Ph Engg. Div. 2, Sirsa	Proof checking of str. Design of OHSR	44944
16	SDE, FUDA S/D, Fatehabad	Testing of concrete cubes samples	4494
17	M/s. Shelba Shabubash, New Delhi	Proof checking of str. Design & drg. Of tower	56180
18	SDE HUDA S/D, Fatehabad	Testing of steel, M30 M25 mix design	61798
19	SDE, Ph Engg. S/d Fatehabad	Testing of concrete cubes samples	3371
20	SDE HUDA S/D Rohtak	Testing of concrete cubes samples	5618
21	SDO, Water Services, Jyotisar	Testing of cement, bricks and cubes	7865
22	Xen., HUDA V Gurgaon	Proof checking of BCC Box Dsgn	146068
23	SDO, Safidon S/D Safidon	Testing of steel, cement, bricks and cubes	29214
24	SDO Water Services, Jyotisar	Testing of concrete cubes & steel	26966
25	SDO, Vigilance S/D, Kurukshetra	Testing of concrete cubes samples	1124
26	SDO, CAD S/D II, Kurukshetra	Testing of cement	3371
27	SDO, CAD S/D II, Kurukshetra	Testing of brick samples	2247
28	SDO, Water Services, Jyotisar	Testing of concrete cubes	4494
29	SDO, Water Services, Jyotisar	Testing of concrete cubes samples	3371
30	SDO, Vigilance S/D, Kurukshetra	Testing of concrete cubes samples	1124
31	SDO, Rojla W/S S/D Safidon	Testing of cement & brick samples	7865
32	SDO, Rojla W/S S/D Safidon	Testing of cement & brick samples	5618
33	Xen HUDA II Div. Hisar	Proof Checking of 10 MLD STP Fatehabad	56180
34	SDE, HUDA Div. Rohtak	Testing of concrete cubes samples	11236
35	M/s. Ramby Industry IMT, FBD	Proof checking of EOT Crane	11236
36	SDO, Anta W/S S/D Safidon	Testing of cement and bricks	5618
37	SDO Vigilance S/D Kurukshetra	Testing of concrete cubes samples	4494
38	SDO, Water Services, Jyotisar	Testing of concrete cubes samples	3371
39	SDE PH Engg. S/D 3 Panipat	Testing of steel, cement and concrete	12360
40	Xen , Hisar W/S S/d Hisar	Proof checking of structure	56180
41	Xen, State Div PWD, Dehradun	Proof checking of bridges at Ultrakhand	168540
42	Unit I/C Zonal Officer, NBCC, Surat	Proof checking of Library bldg. at Surat	196630
43	SDO, CAD S/D II, Kurukshetra	Testing of brick samples	8989
44	AE(C), AGE B/R (AF) Palwal	Testing of concrete cubes samples	8989
45	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	6742
46	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	6742
47	SDO, Panjuana W/S Panjuana	Testing of brick and cement samples	16854
48	Xen PWD NH Div., Jhalawar	Proof checking of bridge of Lhasi river	56180
49	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	6742
50	SDO, Badli W/D S/D Bahadurgarh	Concrete Mix design	22472
51	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	11236
52	SDO, Vigilance S/D, Kurukshetra	Testing of concrete cubes samples	1124
53	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	8989
54	M/s, JRC Brick Workds Pvt. Ltd.,	Testing of bricks	2247
55	M/s. S P Repcom Pvt. Ltd.	Field visit to check procedure Committiy	28090
56	M/s. Tirupati Centre New Delhi	Concrete Mix design of M30 grade	22472
57	SDO, Water Services, Jyotisar	Testing of concrete cubes	5618

58	SDO, CAD S/D NO. 1, Kurukshetra	Testing of bricks samples	8989
59	SDO, CAD S/D NO. 1, Kurukshetra	Testing of bricks samples	11236
60	SDO HSAMB, Hisar	Testing of steel bar & MS Steel plates	30337
61	Xen, Mewat S/d Nuh	Proof checking of Gates & Gearing	44944
62	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	2247
63	SDO, CAD S/D II, Kurukshetra	Testing of cement	3371
64	SDO, Water Services, Jyotisar	Testing of concrete cubes	4494
65	SDO, Water Services, Jyotisar	Testing of concrete cubes	2247
66	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	6742
67	SDO, CAD S/D II, Kurukshetra	Testing of brick samples	2247
68	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	11236
69	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	11236
70	Xen Hisar W/S Div. Hisar	Proof checking of bridge at RD 6000 Deosar	28500
71	SDO Vigilance S/D Kurukshetra	Testing of concrete cubes	1140
72	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	11400
73	SDO, CAD S/D II, Kurukshetra	Testing of brick samples	2280
74	Xen Hisar W/S Div. Hisar	Proof checking of bridge at HSR	114000
75	M/s Design Solutions Panchkula	Proof checking of STP	34200
76	SDE PH Engg. S/D 2 Fatehabd	Testing of bricks and concrete cubes	3420
77	SDE PH Engg. D 5 Narwana	Testing of concrete cubes	12540
78	SDO, Water Services, Jyotisar	Testing of concrete cubes	6840
79	SDO Vigilance S/D Kurukshetra	Testing of concrete cubes	1140
80	SDO Vigilance S/D Kurukshetra	Testing of concrete cubes	1140
81	SDO, CAD S/D I, Kurukshetra	Testing of brick samples	11400
82	SDO, Safidon S/D Safidon	Testing of bricks and concrete cubes	9120
83	SDO, Safidon S/D Safidon	Testing of Bricks, cement and steel	25080
84	SDO, Rojla W/S S/D Safidon	Testing of brick samples	15960
85	SDO, Rojla W/S S/D Safidon	Testing of bricks and cement	23940
86	SDO, Anta W/S S/D Safidon	Testing of bricks and cement	5700
87	SDO, CAD S/D II, Kurukshetra	Testing of brick samples	29640
88	SDE, Ph Engg. S/D 3, Panipat	Testing of bricks and concrete cubes	11400
89	Sr. Engr., IOC Ltd., Panipat	Testing of sand and aggregates	2280
90	SDE, PH Engg. S/D 4, Sirsa	Concrete Mix Design	22800
91	SE PEC, UT, Chd.	Testing of cement, bricks sand and aggregates	14820
92	Asstt. Xen TT Devasthathaha	Testing of sand, aggregates	10260
93	M/s. RCC Inba MG Road, Gurgaon	Testing of concrete cylinders	11400
94	SDO Water Services, Jyotisar	Testing of cubes	9120
95	SDO, CAD S/D I, Kurukshetra	Testing of bricks	6840
96	SDE HUDA S/d Fatehabad	M10 M15 Concrete Mix Design	45600
97	Xen, Mewat W/S Nuh	Proof checking of Gates & Gearing	22800
98	Xen, Hisar Div. Hisar	Proof checking of single box bridge	28500
99	SDO, CAD S/D I, Kurukshetra	Testing of bricks	4560
100	SDO, CAD S/D II, Kurukshetra	Testing of bricks	4560
101	SDO, CAD S/D I Kurukshetra	Testing of bricks	22800
102	SDO, CAD S/D Kurukshetra	Testing of bricks	25080
103	SDO, CAD S/D Kurukshetra	Testing of bricks	6840
104	SDE, PH Engg. S/D Bahadurgarh	Testing of concrete cubes	13680
105	SDE PH Engg. S/D 1, Hansi	Testing of concrete cubes	3420
106	SDE W/S S/D Tajewala	Testing of concrete cubes	6840
107	SDO, CAD S/D II, Kurukshetra	Testing of bricks	6840
108	SDE PSD I, PWD B&R Naraingarh	Testing of cement & steel	20520
109	SDO Rohtak	Testing of cement & steel	92340
110	SDO Rohtak	Testing of steel	17100
111	SDO Water Services, Jyotisar	Testing of steel	17100
112	AEE, TT Devasthathaha, KKR	Testing of concrete cubes	1140
113	SDO, Water Services, Jyotisar	Testing of concrete cubes	5700
114	SDO, Safidon S/D Safidon	Testing of cement bricks, steel & concrete	63840
115	SDO, Safidon S/D Safidon	Testing of concrete , cement, bricks & steel	30780
116	SDO, Rojla S/D Safidon	Testing of bricks & cement	38760
117	SDO, Panjuana W/S Panjuana	Testing of bricks & cement	17100
118	SDO, Water Services, Tajewala	Testing of concrete cubes	9120
119	SDO, Vigilance YNR CC Jagadhri	Testing of concrete cubes	1140
120	SDO, CAD S/D I, Kurukshetra	Testing of bricks & cement	4560
121	SDO, Water Services, Tajewala	Testing of concrete cubes	4560
122	SDO, Water Services, Tajewala	Testing of concrete cubes	6840
123	SDE, HUDA Div. Fetehabad	M25 M30 Concrete Mix Design	45600
124	Sr Er. PEC for Consultancy Engg.Chd	Testing of bricks, cement and aggregates	11400
125	SDO, Water Services, Jyotisar	Testing of bricks & cement	5700
126	SDO Vigilance S/D Kurukshetra	Testing of concrete cubes	1140
127	SDO, Water Services, Tajewala	Testing of concrete cubes	5700
128	SDE, PHE S/D 3, Panipat	Testing of interlocking blocks	4500
129	SDE, CCS, HAU Hisar	Testing of concrete cubes	2280
130	AEE, TT Devasthathaha, KKR	Testing of concrete cubes	1140
131	SDO, CAD S/D NO. 1, Kurukshetra	Testing of bricks	2280
132	M/s. Sushma Consultancy, N.Delhi	Proof checking of design & drg. Of bridge	28500
133	SDO Kalanwali	Testing of cement, bricks, steel & concrete	29640
134	SDE, C-II, MDU, Rohtak	Testing of cement, aggregate & steel	25080
135	SDE, C-II, MDU, Rohtak	Testing of cement, aggregate & steel	28500
136	SDE, C-II, MDU, Rohtak	Testing of aggregate	4560
137	SDE, C-II, MDU, Rohtak	Testing of aggregate	4560
138	SDE, C-II, MDU, Rohtak	Testing of aggregate	4560
139	SDE, C-II, MDU, Rohtak	Testing of aggregate & sand	6840
140	SDO, Safidon S/D Safidon	Testing of concrete cubes	18240
141	SDO, Safidon S/D Safidon	Testing of cement, bricks & steel	6840
142	AE II, PWD, Haridwar	Proof checking of 18 mtr. Span bridge	57000
143	Xen PWD, Dehradun	Proof checking of 24 mtr. Steel & 15 mtr. RCC bridge	114000
144	SDE, PHE S/D 2, Fatehabad	Testing of concrete cubes	4560
145	M/s. Tech. Consultancy Dehradun	Proof checking of 90m, 70m bridges, Uttrakhand	114000
146	Xen, Constrn. PWD Bakot	Proof checking of 36m, 30m & 65 m bridges	296400
147	SE Regn. Div. PWD, Haridwar	Proof checking of Temp. Bridge in Haridwar	142500
148	Xen Constrn. Div. PWD, Roorkee	Proof checking of design of 209d & 285 RCC	114000
149	SDO Water Services, Jyotisar	Testing of concrete cubes	3420
150	SDO Water Services, Jyotisar	Testing of concrete cubes & bricks	1140
151	SDO Water Services, Jyotisar	Testing of concrete cubes	6840
152	SDO Water Services, Jyotisar	Testing of concrete cubes	1140
153	SDO Water Services, Tajewala	Testing of concrete cubes	1140
154	SDO Water Services, Jyotisar	Testing of concrete cubes	1140
155	Xen, C II, CCS Hau, Hisar	Inspection of remedial measures	28500
156	Gharphree Engg. & Constrn., Sonepat	Checking of m15 concrete mix design	17100
157	Xen, C II, CCS Hau, Hisar	Testing of bricks & concrete cubes	15960
158	ME, MC, Panipat	Testing of interlocking blocks	3420
159	Xen HUDA Div. No. 3, FBD	Proof checking of community centre	85500
160	SDE HUDA Fatehabad	Testing of concrete cubes	17100
161	SDE S/D No. 2 Fatehabad	Testing of concrete cubes	4560
162	SDE HUDA Rohtak	Testing of concrete cubes	11400
163	SDO Safidon W/S Safidon	Testing of concrete, Steel,bricks & cement	69540
164	SDO Safidon W/S Safidon	Testing of concrete cubes, steel, bricks & cement	28500
165	SDO Safidon W/S Safidon	Testing of steel, bricks & cement	19380
166	Xen HUDA, Gurgaon	Proof checking of multi purpose hall	11400000
167	SDO Jind W/S Jind	Testing of steel, bricks & cement	21660
168	Div. Elect Er. Railway, Jind	Testing of concrete cubes	1140
169	SDE Pb. W/S, Gobindgarh	Proof checking of counter club & swimming pool	11400
170	Xen HUDA Div. 1, Gurgaon	Testing of bricks	188100

171	SDO CAD S/D 1, KKR	Proof checking of Gates of Head Regulator	2280	
172	Xen Mewat W/s Nuh	Testing of interlocking blocks	22800	
173	ME MC, Panipat	Testing of bricks	3420	
174	M/s. ADL Str. Vaedhheh N Delhi	Proof checking of design & drawing	256500	
175	SDO, Water Services Jyotisar	Str. Design of RCC slab, besh & column	11400	
176	DGM (IA) ITM Rohtak	Proof checking of OHSR	22800	
177	Xen HUDA Div. No. 1, FBD	Proof checking of community centre	85500	
178	Xen Sirsa W/S Sirsa	Concrete Mix design, steel & concrete cubes	198360	
179	SDO W/S Punjuaha	Testing of cement & brick samples	5700	
180	SDO Bahi W/S S/D Sirsa	Testing of cement & brick samples	20520	
181	SDO Safidon W/S Safidon	Testing of concrete cubes, cement & brick samples	38760	
182	SDO Rojla W/S Safidon	Testing of cement & brick samples	5700	
183	SDO W/S Punjuaha	Testing of cement & brick samples	17100	
184	SDO CAD S/D II, KKR	Testing of brick samples	2280	
185	SDO Panchayati Raj, Jind	Testing of brick & Concrete samples	3420	
186	SDO Panchayati Raj, Jind	Testing of brick & concrete samples	5700	
187	SDO CAD S/D I, KKR	Testing of brick samples	4560	
188	Xen MC, Thanesar	Third party inspection of road work	136800	
189	SDO Kalanwali WS	Testing of cement & brick samples	22800	
190	M/s. Creative Design, Ghaziabad	Proof checking of str. Design of bldgs.	17100	
191	M/s. Creative Design, Ghaziabad	Proof checking of str. Design of instt. bldgs.	17100	
192	M/s. Creative Design, Ghaziabad	Proof checking of str. Design of .6 M2D Capacity	22800	
193	M/s. Creative Design, Ghaziabad	Proof checking of Instt. Bldg. Sector 13 Noida	28500	
194	M/s. E pack Polymers New Delhi	Proof checking of Inverter room	45600	
195	Project Manager, SP Centre Coloba	Proof checking of 10 MLD SLP	91200	
196	Xen MC Panipat	Testing of interlocking blocks	2280	
197	SDO CAD S/D II, KKR	Testing of cement	3420	
198	Sr. Manager (IA), HSIIDC Rohtak	Concrete mix design & steel samples	72135	
199	SDO CAD S/D 1, KKR	Testing of bricks	4580	
200	M/s Prabhu New Delhi	Testing of concrete mix design	22800	
201	SDO CAD S/D 1, KKR	Testing of bricks	4580	
202	SDO CAD S/D 1, KKR	Testing of bricks	2290	
203	SDO CAD S/D 1, KKR	Testing of bricks	2290	
204	SDO CAD S/D 1, KKR	Testing of bricks	2290	
205	SDO CAD S/D 1, KKR	Testing of bricks	9160	
206	M/s Jai Shri Balaji, Panipat	Concrete mix design	45800	
207	SDO CAD S/D 1, KKR	Testing of bricks	2290	
208	SDO CAD S/D 1, KKR	Testing of bricks	4580	
209	DGM (IA) IMT, Rohtak	Proof checking of HSIIDC office bldg.	34350	
210	SDE HUDA S/D, Fatehabad	Testing of concrete cubes & bricks	11450	
211	Xen MC Panipat	Testing of interlocking blocks & bricks	3435	
212	Xen MC Panipat	Testing of interlocking blocks & bricks	3435	
213	Xen HUDA Div No. II, Gurgaon	Proof checking of adequacy of SW pipe	9160	
214	M/s. Jai Ram Edu. Instt. L/Majra	Str. Design of Auditorium	22900	
215	SDO CAD S/D 1, KKR	Testing of bricks	20610	
216	SDO CAD S/D 1, KKR	Testing of bricks	4580	
217	SDE, PWD B&R Pundri	Testing of steel, cement cubes & aggregates	30915	
218	SDO CAD S/D 1, KKR	Testing of bricks	4580	
219	Asstt. Xen TT Devasthathaha	Testing of concrete cubes	3435	
220	M/s. Tech. Consultancy Dehradun	Proof checkin of str. Design of bridges	286250	
221	HSRDC PWD B&R Sonapat	Testing of steel & cement	20610	
222	SDO Water Services S/d Dadupur	Testing of cement	3435	
223	Xen HUDA Div. No. 3, Faridabad	Proof checking of sumpwell of old FBD	40075	
224	Xen HUDA Div. No. 3, Faridabad	Proof checking of school bldg. of old FBD	40075	
225	SDO CAD S/D 1, KKR	Testing of bricks	2290	
226	SDO PSD No. 2 PWD B&R S/D 1, KKR	Concrete Mix Design	22900	
227	SDO Safidon W/S Safidon	Testing of concrete cubes, cement & brick samples	12595	
228	SDO Rojla W/S Safidon	Testing of cement & brick samples	11450	
229	SDO Safidon W/S Safidon	Testing of concrete cubes, cement & brick samples	8015	
230	SDO CAD S/D 1, KKR	Testing of bricks	2290	
231	SDO CAD S/D 1, KKR	Testing of bricks	2290	
232	Xen Water Services, Sonapat	Site survey of str. Design of bridges at drain	400750	
233	Xen Govt. Of NCT of Delhi , Delhi	Proof checking of bridge of Shehdra drain	34350	
234	M/s. Sabz Intra Solutions, Noida	Proof checking of loot over bridge	51525	
235	M/s. D K Associates, New Delhi	Proof checking of multi purpose cultural complex	99615	
236	M/s. Benjamin, Delhi	Proof checking of upgradation of Hospital at Kashmir enclave	22900	
237	M/s. SGGH Inks Pvt. Ltd., Noida	Proof checking of 110m span pre-sbessed box girder bridge	57250	
238	Asstt. Xen TT Devasthathaha	Testing of concrete cubes	2290	
239	SDE HUDA Fatehabad	Testing of concrete cubes	11450	
240	SDO Water Services Jyotisar	Testing of steel	6870	
241	SDO Water Services Jyotisar	Concrete Mix design	68700	
242	M/s. S K Mittal, Fatehabad	Proof checking of drain section	22900	
243	Xen M C Panipat	Testing of bricks & Interlocking blocks	3435	
244	Xen HUDA Bahadurgarh	Proof checking of RCC UG Tank	22900	
245	SDE HUDA Fatehabad	Testing of concrete cubes	2290	
246	SDE HUDA Fatehabad	Non destructive testing of RCC looting slab	28625	
247	Xen HUDA Div II Hisar	Proof checking of str. Design & drawing of manholes	91600	
248	SDO Water Services Jyotisar	Testing of concrete cubes	11450	
249	M/s. Tech. Consultancy Dehradun	Proof checking abutments	57250	
250	Xen INA Project INA, Delhi	Proof checking of structural design & drawings	114500	
251	DEN AIIMS New Delhi	Proof checking of structural design & drawings	171750	
252	Xen Vigilance Div. Sirsa	Testing of bricks	4580	
253	AE TT Devasthanaa, KKR	Testing of concrete cubes	1145	
254	SDO Panchayati Raj, Jind	Testing of concrete cubes & bricks	5725	
255	SDO CAD S/D 1, KKR	Testing of bricks	2290	
256	PHE SDO S/D 3 Fatehabad	Str. Design & drawing of CWT	57250	
257	Xen PHE Civil Bhiwani	Str. Design & drawing of Tank	22900	
258	SDE HUDA S/D III, Rohtak	Testing of concrete cubes	14885	
259	SDE HUDA S/d Fatehabad	Testing of concrete cubes	16030	
260	SDE HUDA S/d Fatehabad	Testing of concrete cubes	6870	
261	SDE PHE S/d No. 2 Fatehabad	Concrete Mix Design	68700	
262	SDE PHE S/d No. 2 Hisar	Testing of bricks	2290	
263	SDO Water Services, Jyotisar	Testing of concrete cubes & cement	16030	
264	Er. Air Force, Faridabad	Structural advice of akash Mersreeicuds	57250	
265	Xen Panchyati Raj, Fatehabad	Structural designn & DPRC at Fatehabad	171750	
266	M/s. Hitesh Consultants, New Delhi	Proof checking of various bldgs. Of CPWD	57250	
267	SDE HUDA S/d Fatehabad	Testing of concrete cubes	11450	
268	M/s. Goel Consn. Jaipur	Structural design & drawing of curshed	45800	
269	SE Panchayati Raj Mabala	Testing of steel and sand	9160	
270	Xen MC Karnal	Testing of concrete cubes	2290	
271	Asstt. Gen Manager, HSIIDC, Bawal	Proof checking of UGT at IMT Bawal	22900	
272	M/s. Tech. Instt. Meerut	Proof checking of str. Design & drawing of bldgs.	57250	
273	M/s. Vihro Consn. Rohini	M 30 concrete mix design	11450	
274	SDO Vigilance S/D KKR	Testing of concrete cubes	1145	
275	M/s. AJ Multi Tech. Projects, Chd	Testing of concrete cubes	1145	
276	Xen P/D No. 1 Sonapat	Proof checking of ROB	114500	
277	SDO HUDA S/D Fatehabad	Testing of bricks & site visit at Fatehabad	25190	
278	Xen Raipur PWD Raipur	Proof checking of str. Design & drawing	171750	
279	SDO HUDA S/D Fatehabad	Non destructive testing of RCC manholes	28625	
280	Xen PWD Lok Naya Setu New Delhi	Proof checking of str. Design & drawing of works	400750	
281	Xen PWD Lok Naya Setu New Delhi	Proof checking of str. Design & drawing of classrooms	400750	
282	M/s. Design Solutions, Panchkula	Proof checking of str. Design & drawing of STP	91600	
283	Xen Edu. Maint. PWD New Delhi	Proof checking of str. Design & drawing of classrooms blds.	229000	

284	SDE PHE S/d NO. 1, Kaithal	Testing of steel, Concrete cubes & bricks	18240
285	Xen Edu. Maint. PWD New Delhi	Proof checking of str. Design & drawing of school	343500
286	Xen hisar S/d Hisar	Proof checking of str. Design & drawing of Guest House	68700
287	SDO Narwana S/D Narwana	Testing of steel, Concrete cubes & bricks	27480
288	M/s. Karna Buildings Karnal	Concrete Mix design	22900
289	Xen Sirsa W/S Sirsa	Proof checking of Gates	22900
290	SDE HUDA S/D Fatehabad	Testing of concrete cubes	11450
		<b>DR. S M Gupta</b>	
<b>Sr.No.</b>	<b>Client Organization</b>	<b>Title of Consultancy of Project</b>	<b>Amount Recd.</b>
1	E.O., CT Edu. Society, Jalandhar	Testing of 4 samples of steel	11400
2	Sr. Sec. Er. N Railway, Karnal	Design of 1 no. Concrete mix design	13680
3	SDO, Panchayati Raj, Assandh	Testing of 4 samples of paver blocks	4500
4	Municipal Engr., M C Panipat	Testing of 1 brick & 1 paver block	3420
5	Project Director, NHAI, PIU, Chd.	Testing of 3 samples of bricks	6840
6	Secy. M C Meham	Testing of 2 samples of paver blocks	22800
7	Municipal Engr., M C Narwana	Testing of 19 samples of paver blocks	21660
8	HVPNL, Faridabad	Testing of 3 samples of aggregates	9120
9	SDE, PH Engg. S/D No. 1, Karnal	Testing of 2 sets of CC Cubes	2280
10	Secy. M C Kalayat	Testing of 9 samples of paver blocks	10260
11	SDO (C), Meham	Testing of 2 sets of CC Cubes	3420
12	Secy. M C Taroari	Testing of 4 samples of paver blocks	19380
13	Xen, M C Jind	Testing of 500 sets of CC Cubes	4560
14	SDE, HSWE, Panipat	Testing of 1 samples of Cement and 3 aggregates	570000
15	Director, Rehnen Bldrs. Ghaziabad	Design of 1 no. Concrete mix design	12540
16	Director, Rehnen Bldrs. Ghaziabad	Vetting of 1 no. Concrete mix design	22800
17	ME, MC Narwana	Testing of 13 samples of paver blocks	22800
18	SDE, HUDA S/D Kaithal	Testing of 2 bricks and 2 sets of cubes	14820
19	Secy, MC Kayayat	Testing of 13 samples of paver blocks	17100
20	Municipal Engr., M C Panipat	Testing of 5 bricks & 5 sets of cubes	3371
21	SDE, PSD 1, PWD B&R, Karnal	Testing of 1 samples of Cement	3371
22	SDO, Water Services Jhansa	Testing of 3 sets of cubes	22472
23	Municipal Engr., M C Cheeka	Testing of 20 sets of cubes	786520
24	Xen, M C Yamuna Nagar, Jagadhri	Testing of 2 sets of cubes	56180
25	Xen, HUDA, Hisar	Vetting/Checking of str. Design & calculation	22472
26	Xen, CPWD, New Delhi	Design of 1 no. Concrete mix design	2247
27	ME, MC Narwana	Testing of 2 sets of paver blocks	2247
28	AE Housing Board, Kurukshetra	Testing of 2 sets of cubes	2247
29	AE CPWD, Amritsar	Design of 1 no. Concrete mix design	2247
30	SDE, HVPNL, Rewari	Design of 1 no. Concrete mix design	2247
31	ME MC, Shahbad	Testing of 1 set of CC tiles	1124
32	SDE, HSWC, Panchkula	Testing of 1 set of CC Cubes	1124
33	SDO, Water Services Jhansa	Testing of 11 set of CC Cubes	12360
34	SDO, Civil S/D UHBVN, Rohtak	Testing of 1 cement, 1 brick & 3 aggregates	12360
35	SDO Vigilance S/D KKR	Testing of 2 set of CC Cubes	2247
36	ME, MC, Cheeka	Testing of 2 bricks and 13 sets of cubes	19101
37	SDO Ph Engg. S/D Bahadurgarh	Testing of 1 samples of steel & 1 CC Cubes	4494
38	SDO Water Services, Tajewala	Design of 1 no. Concrete mix design	22472
39	SDE PH Engg. S/D Pataudi	Testing of 3 samples of steel & 6 cubes	16854
40	Chief Er. ITM Rohtak	Testing of 2 sets of paver blocks	22472
41	ME MC Narwana	Testing of 2 sets of paver blocks	2247
42	SDE PH Engg. S/D 4, Karnal	Design of 1 no. Concrete mix design	22472
43	ME, MC Cheeka	Testing of 10 sets of paver blocks	11236
44	SDE, PH Engg. S/D No. 3, Hisar	Design of 1 no. Concrete mix design	22472
45	ME, MC Assandh	Testing of 17 sets of cubes & paver blocks	19101
46	SDE, Horti HUDA KKR	Testing of 1 samples of tiles	2247
47	DGM (IA), IMT, Manesar	Checking/vetting of design calculations	22472
48	SDE PH Engg. Saffidon	Testing of 4 samples of steel bars	13483
49	SSE N. Rly, Karnal	Testing of 3 samples of steel bars	10112
50	ME, MC, Panipat	Testing of 3 bricks & 3 paver blocks	10112
51	Sec. MC, Meham	Testing of 1 bricks & 19 paver blocks	23596
52	SDE, Ph Engg. S/D 3, Bahadurgarh	Testing of 1 cement, 1 brick 4 steel & 3 aggregates	25843
53	Xen MC Panipat	Testing of 1 brick & 5 paver block	7865
54	Xen MC Panipat	Vetting of str. Design & drawing	22472
55	SDO Civil S/d UHBVN, Ambala City	Testing of 4 sets of cubes	4494
56	AE MC, Karnal	Testing of 5 paver blocks	5700
57	SDO, Panchayati Raj, Kalayat	Testing of 1 cement, 1 brick & 5 steel	23940
58	ME, MC, Gharaunda	Testing of 9 cubes/paver blocks	10260
59	Asstt. GM PGCIL, Bhiwani	Testing of 5 sets of cubes	1140
60	AE CPWD, Aligarh	Design of 1 no. Concrete mix design	21800
61	SDO, Water Services Jhansa	Testing of 1 samples of brick	2280
62	SDO, Vigilance S/D KKR	Testing of 1 set of cubes	1140
63	SDE, HUDA S/D Hissar	Testing of 1 brick, 3 steel & 2 cubes	14820
64	SDO, Water Services Jhansa	SDO, Water Servgices, S/D Jhansa	19380
65	AE, Civil, NIT, CPWD, KKR	Testing of 1 cement & 6 steel	23940
66	SDE, PHE, S/D 1, Karnal	Testing of 6 steel & 4 cubes	25080
67	SDO, Dhantan S/D Narwana	Testing of 1 cement & 1 brick	5700
68	ME, MC, Panipat	Testing of 150 bricks, 150 tiles & 50 cubes	570000
69	SSE, N. Rly, Karnal	Testing of 5 steel bars	6840
70	SM (IA), HSIIDC, Saha	Testing of 3 steel samples	10260
71	SDO, Water Services Jhansa	Testing of 2 sets of cubes	2280
72	Sde, PHE S/D 3 Dabwali	Testing of 1 concrete mix design	22800
73	SDE, Ph Engg. S/D Elnabad	Testing of 2 nos. Concrete mix design	45600
74	AE MC Karnal	Testing of 9 sets of cubes & Interlocking tiles	10260
75	Xen, Project Dev D No. 2 N Delhi	Design of 1 no. Concrete mix design	22800
76	SDO, Civil S/D UHBVN, Rohtak	Testing of 2 sets of cubes	2280
77	Secy. MC Ratia	Testing of 1 sets of cubes	1140
78	SDO, Civil S/D UHBVN, Ambala City	Testing of 1 bricks & 3 aggregates	9120
79	SDE, PHE, S/D Safidon	Testing of 4 steel, 1 aggregate & 5 cubes	21660
80	Xen, AIMS< CPWD, New Delhi	Design of 1 no. Concrete mix design	22800
81	ME MC Ambala	Testing of 200 sets of cubes/paver blocks	228000
82	AE, MC, Karnal	Testing of 350 cubes/paver blocks & bricks	513000
83	Engg.(C), PGCIL, Kurukshetra	Design of 1 no. Concrete mix design	22800
84	EO HUDA, Kaithal	Testing of 3 samples of tiles	6840
85	SDE, PHE S/D Safidon	Testing of 7 sets of cubes	7980
86	SDO, CAD S/D Barwala	Testing of 3 steel, 2 aggregates & 1 cubes	3420
87	SDE HSWC Rohtak	Testing of 3 steel, 1 aggregates & 1 cubes	15960
88	Xen PHE Div. No. 1 Bhiwani	Testing of 1 cement, 2 bricks & 4 steel	21660
89	Xen, M C Hissar	Testing of 3 sets of cubes	3420
90	SDO, Panchyati Raj, Barwala	Testing of 2 sets of cubes	2250
91	DGM PGCIL Mathura	Design of 1 no. Concrete mix design	22800
92	Dy. Chief Xen, Zila Parishad, Kaithal	Testing of 2 bricks & 1 paver block	5700
93	Secy. MC Indri	Testing of 2 cubes & 1 paver block	2280
94	Sarpanch, Gram Panchyat, Barwala	Testing of 3 paver blocks	3420
95	ME MC Narnaul	Testing of 4 bricks & 6 paver blocks	15960
96	Xen, SDO, HSAMB Kaithal	Testing of 6 core cutter, 2 cement & 1 steel	17100
97	SDE, PHE S/d No. 3 Hisar	Testing of 1 sets of cubes	1140
98	AE MC Hisar	Testing of 1 steel, 1 tile & 6 paver blocks	12540
99	SDE, PHE S/D Safidon	Testing of 8 sets of cubes	9120
100	ME, MC Pehowa	Testing of 2 sets of cubes	2280
101	ME MC Ghraunda	Testing of 3 samples of paver blocks	3420
102	SDE, PHE, S/D Safidon	Testing of 8 sets of cubes	5700

103	SDO PR Barwala (PKL)	Testing of 3 sets of cubes	3420
104	SDO Consn. S/D HVPNL, Sonapat	Testing of 1 cement, 6 steel & 2 samples of aggregates	30780
105	SDE, PHE, S/D No. 1, Ellnabad	Design of 1 no. Concrete mix design	22800
106	AE NIT KKR CPWD, KKR	Testing of 7 cement & 9 steel bars	54720
107	SDO (PR) Barwala	Testing of 1 sets of cubes	1140
108	SDE PHE S/D No. 1 Bahadurgarh	Testing of 1 cement, 1 brick, 3 steel & 1 cube	17100
109	AE NIT KKR CPWD, KKR	Testing of 5 steel bars	17100
110	PGCIL VPO Dhana, Bhiwani	Testing of 2 sets of cubes	2280
111	Secy. MC Narwana	Testing of 1 brick	2280
112	AE PWD B&R Bahadurgarh	Design of 4 no. Concrete mix design	91200
113	SDE SSA/RMSA Narnaul	Testing of 1 brick samples	2280
114	SDO Delhi Water S/d Delhi	Testing of 5 nos. Concrete mix design	114000
115	AE CPWD, Mohindergarh	Testing of 5 cement, 2 bricks & 4 cubes	26220
116	AE(C), NITKKR CPWD, KKR	Testing of 5 samples of cement	17100
117	Er. R K Sharma, WAPCOS Karnal	Testing of 2 sets of cubes	2280
118	SDE, HSAMB, Ladwa	Testing of 3 samples of core cutter	3420
119	SDO PR Morni Panchkula	Testing of 8 samples of paver blocks & cubes	9120
120	AE(C), Central S/D CPWD, KKR	Testing of 1 samples of cement	3420
121	BDPO, Lakhna Majra	Testing of 2 bricks 2 aggregates & 5 paver blocks	17100
122	SDO, HSAMB Hissar	Testing of 8 samples of core cutter	9120
123	AE MC, Hissar	Testing of 5 samples of paver blocks	5700
124	SDE IV, HSAMB Ambala City	Testing of 4 samples of paver blocks	4560
125	ME MC Cheeka	Testing of 18 samples of paver blocks & cubes	20520
126	SDO (PR) Barwala	Testing of 1 sample of paver blocks	1140
127	ME MC Ladwa	Testing of 4 sample of paver blocks	4560
128	Sr. Project Manager, GR. N Delhi	Testing of 2 cement & 2 steel	13680
129	SDE, PHE S/D No. 1 Elnabad	Design of 1 no. Concrete mix design	22800
130	Sr. Manager HSIIDC, Rohtak	Testing of 5 sets of cement	5700
131	Dir, M/s Enviro Infra, New Delhi	Vetting of str. Design of CEJP	34200
132	ME, MC Cheeka	Testing of 120 bricks & 270 cubes	581400
133	Sr. Manager HSIIDC IMT Rohtak	Testing of 4 sets of cubes & 5 aggregates	14820
134	SDE PWD B&R S/D 2, Pehowa	Testing of 1 cement samples	3420
135	M/s. Water Vigil, Ludhiana	Vetting of design of Rapid sand filter filler	22800
136	Secy. MC Meham	Testing of 8 samples of paver blocks	9120
137	ME MC Narnaurd	Testing of 2 bricks & 1 paver blocks	5700
138	SDE HUDA S/D Bhiwani	Testing of 2 bricks & 4 paver blocks	9120
139	ER(C), PGCIL KKR	Testing of 50 steel, 50 bricks, 100 aggregates 300 cubes	1197000
140	SDE, PSD 1, PWD B&R, Pehowa	Design of 1 no. Concrete mix design	22800
141	AE Central S/D Karnal	Testing of 1 sample of cement	3420
142	ME MC Ladwa	Testing of 1 sample of paver blocks	1140
143	Tech. Dir, CEM, New Delhi	Vetting of str. Design Likabali Military Station	22800
144	Major GE Bikaner	Testing of 3 samples of core cutter	3420
145	SDE PH Engg. S/D No. 1 Pinjore	Design of 2 no. Concrete mix design, 1 brick & 2 steel	13680
146	SDO Panchyati Raj, Pinjore	Design of 1 no. Concrete mix design, 3 steel	5700
147	SDE PHE S/D Hodal	Testing of 9 sets of cubes	62700
148	SDE PHE S/D Kalanwali	Testing of 1 cement, 2 bricks & 2 steel	33060
149	SR Manager (IA) IMT Rohtak	Testing of 1 brick & 5 paver block	10260
150	SD PSD PWD B&R KKR	Testing of 1 cement, 1 brick & 3 aggregates	14820
151	AE MC Hisar	Testing of 5 sets of paver blocks	7980
152	AE Tilapati Project, Ghaziabad	Design of 2 no. Concrete mix design	45600
153	SDE PSD PWD B&R Naraingarh	Design of 3 no. Concrete mix design	68400
154	SDO, Civil Works, UHBVN, A/City	Testing of 1 cement 3 aggregates & 2 cubes	15960
155	AE Karnal CPWD, Karnal	Testing of 1 cement & 2 steel samples	10260
156	AGM(IA), HSIIDC, Barwala	Testing of 1 sample of steel	3420
157	SDO Panchyati Raj, Thanesar	Testing of 1 brick & 19 paver blocks	30780
158	Xen Panchyati Raj Ambala	Testing of 36 samples of paver blocks	41040
159	SDO, Panchyati Raj, Ambala	Testing of 2 steel, 1 aggregate & 3 sets of cubes	12540
160	SDE PHE S/D no. 2, Hansi	Testing of 1 cement, 3 steel, 2 aggregates & 2 cubes	21660
161	SDO Karnal S/D Karnal	Design of 1 no. Concrete mix design & 1 cement	26220
162	DSP, C M Flying Squad, Hisar	Testing of 1 paver block & 1 brick	3435
163	SDE, PHE S/D No. 1 Y/Nagar	Testing of 1 cement, 1 brick, 2 steel & 8 cubes	19465
164	AE Karnal CPWD, Karnal	Testing of 1 sample of cement	3435
165	SDO, Panchyati Raj, Pundri	Testing of 1 sample of brick	2290
166	SSE(W) N. Rly, KKR	Design of 3 no. Concrete mix design	68700
167	AE MC Hisar	Testing of 31 samples of paver blocks	35495
168	SDO, Panchyati Raj, Pinjore	Testing of 9 samples of paver blocks	10305
169	SDE PSD No. 4 PWD B&R Sonapat	Testing of 1 cement & 3 steel samples	13740
170	Xen Div No. II Gurgaon	Vetting/checking of TTE Sump Walls	45800
171	Xen, M C Hissar	Testing of 1 brick & 1 cubes	3435
172	AE Karnal CPWD, Karnal	Testing of 4 cement 1 steel & 3 cubes	20610
173	ME MC Narnaud	Testing of 2 samples of bricks & 5 cc cubes	10305
174	Xen PWD B&R Chd.	Testing of 5 samples of paver blocks	5725
175	AE(C), NIT CPWD, KKR	Testing of 8 cement, 6 steel & 3 cubes	51525
176	Xen HUDA Div. No. 1 Rohtak	Vetting of str. Design of Fire station bldg.	114500
177	SDE HUDA S/d No. 2 KKR	Testing of 4 samples of paver blocks	4580
178	SDE PHE S/D 2 Jagadhri	Testing of 1 block & 4 sets of cubes	6870
179	SDE, HUDA Palwal	Testing of 8 samples of steel bars	27480
180	AE MC Hisar	Testing of 4 samples of paver blocks	4580
181	AE(CI) NITK Central CPWD, KKR	Testing of 3 cement & 12 steel samples	51525
182	Sr. Manager (C), HSCC, Noida	Testing of 26 samples of cement & 14 steel samples	140300
183	ME MC Narnaud	Testing of 2 samples of bricks	4580
184	Secy. MC Meham	Testing of 13 samples of paver blocks	14885
185	SDE PHE S/D Radaur	Testing of 1 samples of cement, brick 3 steel 2 aggregates	24045
186	Xen T S Div. HVPNL, Hisar	Non destructive testing Tower Foundation	22900
187	M/s. R D M Project (P) Ltd Gurgaon	Checking of design of D G Str. Design	22900
188	AE MC Hisar	Testing of 5 samples of paver blocks	5725
189	SDO III HSAMB Y/Nagar	Design of 5 nos. Concrete mix design	114500
190	SDE HUDA, S/D Bhiwani	Testing of 2 bricks & 4 paver blocks	9160
191	SE(Consn) PGCIL Meerut	Testing of 1 samples of cement	3435
192	AE Karnal CPWD, Karnal	Testing of 2 cement, 1 steel & 1 cubes	11145
193	ADE PHE S/D 1 Jagadhri	Testing of 2 steel & 6 sets of cubes	13740
194	Sr. Manager(IA) IMT, Rohtak	Testing of 3 CC Cubes	3435
195	SDE HUDA S/D No. 3, Karnal	Testing of 4 bricks, 8 steel and 2 CC Cubes	34350
196	Secy. M C Indri	Testing of 3 paver blocks	3435
197	A E Karnal CPWD Karnal	Testing of 1 cement & 1 C C Cubes	4580
198	SDO Panchayati Raj, Pundri	Testing of 1 cement, 5 steel & 3 aggregates	32060
199	J E, M C, Barwala	Testing of 11 samples of paver blocks	12595
200	J E, M C, Uklana Mandi	Testing of 2 bricks & 1 tiles	8015
201	AE (C) NIT (CPWD), Kurukshetra	Testing of 9 cement & 2 cubes	33205
202	Xen Panchyati Raj Kaithal	Testing of 2 bricks	4580
203	AE (C) NIT (CPWD), Kurukshetra	Non destructive testing of Ultrasonic Pulse Velocity Test	68700
204	SDE PHE S/D Meham	Design of 1 no. Concrete mix design	22900
205	SDE PHE S/D No. 1, Naraingarh	Testing of 1 cement, 1 brick, 1 steel & 2 cubes	16030
206	Sr. Manager (C), HSCC, Noida	Testing of 3 cement & 6 steel bars	30915
207	Xen, HUDA Hort. Div, Hisar	Testing of 6 samples of chequered tiles	13740
208	SDO, Panchyati Raj, Pillukhera	Testing of 4 paver blocks	4580
209	SDO, Panchyati Raj, Pundri	Testing of 1 cement, 1 brick & 5 steel samples	29770
210	SDE PHE S/D Sampla	Design of 1 concrete mix design	22900
211	SDE, PHE S/D 2, Beri	Testing of 2 concrete, 1 cement & 1 brick	61830
212	Secy., M C Assandh	Testing of 3 bricks, 17 cubes & 3 paver blocks	26335
213	Secy., M C Meham	Testing of 5 samples of paver blocks	5725
214	J E, M C, Barwala	Testing of 2 samples of paver blocks	2290
215	DSP, C M Flying Squad, Hisar	Testing of 2 samples of paver blocks	2290

216	M/s. V K Reedy Mix Constrn. Delhi	Design of 2 nos. Mix design	45800	
217	ME, MC, Kaithal	Testing of 2 bricks & 1 C C Cubes	5725	
218	SDO(Constn) HSAMB Ratia	Testing of 1 bricks & 1 Cement	5725	
219	AE, Karnal S/D Karnal	Testing of 1 bricks & 1 Cement	5725	
220	SDE Project Co-ord, RPSA, karnal	Testing of 1 brick	2290	
221	Xen HUDA Div. No. 1 Gurgaon	Vetting of design calculations & drawings of constn.	57250	
222	ME, MC, Pinjore	Testing of 3 bricks & 4 paver blocks	11450	
223	ME, MC, Narwana	Testing of 5 bricks & 3 sets of cubes	17885	
224	ME, MC, Kaithal	Testing of 2 bricks & 1 C C Cubes	5725	
225	ME, MC, Narwana	Testing of 2 bricks & 1 paver block	5725	
226	Xen, MC Sirsa	Testing of 13 concrete/paver blocks	14885	
227	SDE PSD I, PWD B&R Hansi	Testing of 5 CC blocks	6870	
228	Sr. Manager, HSIIDC, Noida	Testing of 28 cement & 16 steel bars	151140	
229	ME, MC, Thanesar	Testing of 6 cubes/paver blocks	6870	
230	ME, MC, Ladwa	Testing of 11 cubes/paver blocks	12595	
231	ME, MC, Hisar	Testing of 3 bricks, 2 chequered tiles & 22 cubes	36640	
232	ME, MC, Gharaunda	Testing of 8 cubes/paver blocks	9160	
		<b>Dr. Ashwani Jain</b>		
<b>Sr.No.</b>	<b>Client Organization</b>	<b>Title of Consultancy of Project</b>	<b>Amount Recd.</b>	<b>Amount recd.</b>
1	SDE, PSD 2, PWD B&R Narwana	Testing of bearing capacity of soil	25000	
2	SDE, PH Div. Narhaund	Testing of bearing capacity of soil	20000	
3	Xen Bhiwani W/S Div. Bhiwani	Testing of BC of soil at bridge dadri feeder	40000	
4	SDE, PSD No. 2, PWD B&R Narwana	Testing of bearing capacity of soil for 50 bedded Hospital	25000	
5	SDE, PH Div. Narhaund	Testing of bearing capacity of water works	20000	
6	SDE Public Health S/D Jind	Testing of bearing capacity of RCC OHSR	20000	
7	Xen Mohindergarh Ch. Dadri	Testing of soil for constn. of DR brodge	60000	
8	Xen, Water Services Dadupur	Investigation of soil bearing capacity & site factor	30000	
		<b>Dr. Baldev Setia</b>		
1	XEN, Water Services Jyotisar, Kurukshetra	Rotation for fresh water for Barahm Sarovar & Jyotisar	68,400	
		<b>Dr. Surender Deswal</b>		
1	SDE, Model Schoo, Hissar	Testing of water sample for Girls Hostel	5700	
2	SDE, Model Schoo, Hissar	Testing of water sample for Girls Hostel	5700	
3	SDE, Model Schoo, Hissar	Testing of water sample for Girls Hostel	5700	
4	SDO, Civil S/D Faridabad	Testing of water sample for 220 KV S/Stn. Meerpur Kuarli	5725	
		<b>Dr. V K Arora</b>		
1	SSE, Northern Railway, Kurukshetra	Soil investigation for constn. Of RRI bldg.	22472	
2	ME, MC, Yamuna Nagar	SBC for constn. Of Community Centre, Bhuru	22060	
3	SDE, PHE, S/D Jagadhri	Soil investigation for providing Sewage system	11236	
		<b>Dr. Saraswati Setia</b>		
<b>Sr.No.</b>	<b>Client Organization</b>	<b>Title of Consultancy of Project</b>	<b>Amount Recd.</b>	
1	SDE, PSD-I, PWD, B&R, Sonapat	Testing of samples	9120	
2	MBL Intra, Delhi	Testing of bricks	6840	
3	Xen, HSAMB, FBD	Vetting of str. Design of Kisan Rest House	17100	
4	SDE, Hisar, Bhiwani	Testing of bricks	11400	
5	KS Pathanis, New Delhi	Vetting of str. Design drawings	22900	
6	ME, MC, Hansi	Testing of CC blocks	9160	
7	AE, MC, Hisar	Testing of Paver blocks	8015	
8	JE, MC, Barwala	Testing of Paver blocks	6870	
		<b>Dr. H D Chalak</b>		
<b>Sr.No.</b>	<b>Client Organization</b>	<b>Title of Consultancy of Project</b>	<b>Amount Recd.</b>	
1	Xen Panchayati Raj, Yamuna Nagar	Testing of steel bars & concrete cubes	52670	
2	Principal, Gita Niketan, KKR	Testing of concrete cubes	2290	
3	BDPO, Sadhana	Testing of Paver Blocks	2290	
4	AE, Civil Works S/D HVPNL, Jind	Testing of Coarse & fine aggregates	4580	
5	AE, Civil Works S/D HVPNL, Jind	Testing of Coarse & fine aggregates	4580	
6	SDO, Water Services, Jyotisar	Testing of cement & bricks	13740	
7	Xen, PD PWD Haridwar	Vetting of bridge bearings	114500	
8	Xen Civil NFSG SSW Leh	Non-destructive Testing of bridge abutements	114500	
9	SDE, HUDA Horti S/D KKR	Testing of Interlocking tiles & cement cubes	3435	
		<b>Dr. Subodh Ranjan</b>		
1	SDO, Panjokhra Water Services, Ambala	Vetting of drawing of Panjokhra Mining	28500	