



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/5835382
Dated/दिनांक : 17-01-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	07-02-2025 19:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	07-02-2025 19:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of Higher Education
Organisation Name/संगठन का नाम	National Institute Of Technology (nit)
Office Name/कार्यालय का नाम	Kurukshetra/haryana
क्रेता ईमेल/Buyer Email	buyer102.nitn.hr@gembuyer.in
Total Quantity/कुल मात्रा	11378

Bid Details/बिड विवरण**Item Category/मद केटेगरी**

Raspberry Pi 4 4GB , Arduino Uno SMD Board , CMOS IR Camera Module 728x488 , Voice Recognition Module , Micro SD Card 32GB for Raspberyy Pi , ESP32 Development Board , EMG Sensor , pH Sensor With Module , GSR Sensor Module , ADXL345 Triple Axis Accelerometer , DHT11 Sensor Module , HC-SR501 PIR Motion Sensor Modul , IR Sensor Module Blue , Soil Moisture Sensor , MQ135 Sensor Module , Ultrasonic Module HC-SR04 , LDR 05MM , M18 PNP NO Proximity Senso , APDS9930 Sensor Module , GY302 BH1750 Light Sensor Module , AD8232 ECG Sensor , Eye Blink Sensor , Fire Flame Sensor Module , Heart Beat Pulse Sensor , ML8511 UV Sensor , MQ2 Sensor Module , MAX30100 Pulse Oximeter Sensor , MAX4466 Electret Microphone Amplifier , MIC Condensor , MPU6050 Gyroscope Accelerometer , 27mm Piezo Element , RCWL 0516 Microwave Sensor , ACS712 05A Current Sensor , BMP180 Barometric Pressure , Flex Sensor 2.2 Inch , Float Sensor PP135 , MQ4 Sensor Module , MQ6 Sensor Module , 16x2 Green LCD Display , LED 05mm Red , LED 05mm Green , LED 05mm Blue , LED 05mm Yellow , LED 05mm White , LED 05mm RGB , Jumper Cable 1M 1M , Jumper Cable 1M 1F , Jumper Cable 1F 1F , Battery 9V HW , USB AB Cable 12 Inch for Arduino Board , HDMI Cable for Raspbery Pi 4 , Wire 1 30 92Mt , 840 Tie Point Breadboard GL12 , Berg Header Male , Berg Header Female , 6 into 4 General Purpose PCB , ESD Gloves Pair White , Piezo Electric Sensor Buzzer , Screw Driver Multipurpose , RFID Reader Tags , RF Modules Tx and Rx 315 MHz Ask , RS 232 ZigBee Wireless Module , GSM Module , Wire Stripper Wire Stripper Cutter Plier with Spring 26X6X20 Cms , Hot Glue Gun plus Glue Sticks , Push Button tact switch 2 legs , Speaker 4ohm , Speaker 8ohm , Small Bulb 5V , Servo Motor , Stepper Motor 5V , 5 V Charger min 2.5 A

Bid Details/बिड विवरण

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS

Raspberry Pi 4 4GB, Arduino Uno SMD Board, CMOS IR Camera Module-728x488, Voice Recognition Module, Micro SD Card 32GB for Raspberyy Pi , ESP32 Development Board, EMG Sensor, pH Sensor With Module, GSR Sensor Module, ADXL345 Triple Axis Accelerometer, DHT11 Sensor Module , HC-SR501 PIR Motion Sensor Modul, IR Sensor Module Blue , Soil Moisture Sensor, MQ135 Sensor Module, Ultrasonic Module HC-SR04, LDR 05MM, M18 PNP NO Proximity Senso, APDS9930 Sensor Module, GY302/BH1750 Light Sensor Module, AD8232 ECG Sensor, Eye Blink Sensor, Fire/Flame Sensor Module, Heart Beat Pulse Sensor, ML8511 UV Sensor, MQ2 Sensor Module, MAX30100 Pulse Oximeter Sensor, MAX4466 Electret Microphone Amplifier, MIC Condensor, MPU6050 Gyroscope Accelerometer, 27mm Piezo Element , RCWL-0516 Microwave Sensor, ACS712 05A Current Sensor, BMP180 Barometric Pressure, Flex Sensor 2.2 Inch, Float Sensor PP135, MQ4 Sensor Module, MQ6 Sensor Module , 16x2 Green LCD Display, LED 05mm Red , LED 05mm Green, LED 05mm Blue, LED 05mm Yellow, LED 05mm White, LED 05mm RGB, Jumper Cable 1M-1M, Jumper Cable 1M-1F, Jumper Cable 1F-1F, Battery 9V HW, USB AB Cable 12 Inch for Arduino Board, HDMI Cable for Raspbery Pi 4, Wire 1/30 92Mt., 840 Tie Point Breadboard GL12, Berg/Header Male, Berg/Header Female, 6x4" General Purpose PCB, ESD Gloves Pair White , Piezo Electric Sensor/Buzzer, Screw Driver(Multipurpose), RFID Reader- Tags, RF Modules Tx & Rx 315 MHz Ask, RS-232 ZigBee Wireless Module, GSM Module, Wire Stripper (Wire Stripper Cutter Plier with Spring 26X6X20 Cms), Hot Glue Gun + Glue Sticks, Push Button -tact switch (2 legs), Speaker 4ohm, Speaker 8ohm, Small Bulb 5V, Servo Motor, Stepper Motor 5V, 5 V Charger , min 2.5 A

Searched String: Raspberry Pi 4 4GB

4 pin Head Fixator or Neuro Head Frame, Steel Bookcases as per IS 7761, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Interface module, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), handset adapters, water baths, Digital Media Evaluation Educational Kit, Laminar air flow cabinets or stations, Memory Card Reader

Searched String: Arduino Uno SMD Board

FPGA Development and Evaluation Board

Searched String: CMOS IR Camera Module-728x488

Body Worn Camera System, Super Straw Management System (SMS) To be Attached With Self Propelled Combine Harvester -as per IS 15806, USB Camera for Video Conferencing System, Gel Documentation System, Video Conferencing Camera / Web Camera, Video Conferencing Camera / Web Camera (V2), DSLR Camera Lens, Camera for CCTV System (V2)

Searched String: Voice Recognition Module

Voice Recognition / Translator Software, Portable Voice Recorder, Disconnection Telecommunication Voice Module, Designation Clip for Disconnection Telecommunication Voice Module, Grounding Rail for Disconnection

Bid Details/As Per

Telecommunication Voice Module, Back Mount Frame for Disconnection Telecommunication Voice Module, Interface module, Voice Logger System, Relay Module, LoRA Development Module Kit

Searched String: Micro SD Card 32GB for Raspberyy Pi

Regulators for Breathing Apparatus (Diving Instruments or Accessories), Drip - Leg Drain, Memory Card Reader, Football Shoes, Portable Voice Recorder, Cap FS Disruptive (JSS), Cyanide Distillation Apparatus, synthetic web equipment improved version

Searched String: ESP32 Development Board

FPGA Development and Evaluation Board, Computer Table, Mounting board or Anganwadi Board, Drip - Leg Drain, LoRA Development Module Kit, Fabric Pin Up Notice Boards, Impression Board, Chess Board, Desktop Computers, Carrom Board

Searched String: EMG Sensor

EMG NCV EP Machine, Temperature controlled soldering station, Occupancy sensor, Photoelectric Sensor, Inductive Proximity Sensor, Force Sensor, LVDT Sensor, Temperature & Humidity Sensor, Temperature sensor, Ultrasonic Sensor

Searched String: pH Sensor With Module

Photo detector Module with Accessories, pH Meter, Photoelectric Sensor, pH Meter (FSSAI), Vitrectomy Machine with Phacoemulsification, Temperature controlled soldering station, Vitrectomy Machine with Phacoemulsification (V2), Regulators for Breathing Apparatus (Diving Instruments or Accessories), Digital Photo Slit Lamp with Applanation Tonometer, D and C Set

Searched String: GSR Sensor Module

Relay Module, Interface module, Wilfit Spares, Occupancy sensor, Temperature controlled soldering station, Photoelectric Sensor, Force Sensor, Inductive Proximity Sensor, LVDT Sensor, Digital Physiograph System

Searched String: ADXL345 Triple Axis Accelerometer

Category not available on GeM for the text string uploaded by the buyer

Searched String: DHT11 Sensor Module

Relay Module, Desktop Computers, Interface module, Mobile Work Force Management Solution Software, Occupancy sensor, All in One PC, Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, Classroom Chairs

Searched String: HC-SR501 PIR Motion Sensor Modul

Category not available on GeM for the text string uploaded by the buyer

Searched String: IR Sensor Module Blue

Single and dual beam IR sensor, Prussian Blue, Drip - Leg Drain

Bid Details/तपसु तपसु	Searched String: Soil Moisture Sensor
	<p>Soil Moisture Sensor, Soiled linen Trolley, Capacitance based Soil Moisture Sensor, Rapid Moisture Meter for Rapid Determination of Water Content for Soil IS - 12175, Plywood for General Purposes as per IS 303 (V2), Moisture tins, Moisture analyser, bacterial or viral filters without heat and moisture exchanger hme, Soil Compactor, Temperature controlled soldering station</p> <p>Searched String: MQ135 Sensor Module</p> <p>Relay Module, modular electrical enclosure switch board boxes for modular type accessories, Interface module, Mobile Work Force Management Solution Software, Occupancy sensor, Ratchet Type Torque Wrench, Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, Sheeting, Tickings and Bedsheets (V2) as per IS 175</p> <p>Searched String: Ultrasonic Module HC-SR04</p> <p>Digital Ultrasonic Flaw Detector</p> <p>Searched String: LDR 05MM</p> <p>Executive Computer Table, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Metal Shelving Racks as per IS 1883, Classroom Chairs, Refraction Tomography Software, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Spring File, Speed Breaker (V2), Customised Envelopes</p> <p>Searched String: M18 PNP NO Proximity Senso</p> <p>Inductive Proximity Sensor, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), P - Nitrophenyl - B - d - Glucopyranoside, The Indian National Flag as per IS 1, Package No. 1 - ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND SENSORS, Shaker Incubator, Partitions, Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Ladder, Fire, Extension, 7.5m (Defence), Sonic Defenders - Hearing Protection Device (MHA)</p> <p>Searched String: APDS9930 Sensor Module</p> <p>Relay Module, Interface module, Mobile Work Force Management Solution Software, Occupancy sensor, Temperature controlled soldering station, Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, Inductive Proximity Sensor, LVDT Sensor</p> <p>Searched String: GY302/BH1750 Light Sensor Module</p> <p>Assistive Tech, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial</p> <p>Searched String: AD8232 ECG Sensor</p> <p>ECG Electrodes, Electrocardiography (ECG) Machine (V2), ECG Machine, ECG Electrodes (V2), RO Water Treatment System Above 50 LPH Filtration Capacity, ECG RECORDING PAPER, ECG Pagewriter machine, Video - Nystagmography (VNG) for Vertigo Clinics, ECG Electrode Gel (V2), Reverse Osmosis based Point of Use Water Treatment System for</p>

Bid Details/As per Drinking Purposes (V2) as per IS 16240

Searched String: Eye Blink Sensor

Eye Drapes, Combination of Shower and Eye Wash as per IS 10592, Eye Pad, Eye Blinder, Surgical isolation Faceshield, Occupancy sensor, Polyester Round Slings, Photoelectric Sensor, Protective Eye Goggles (MHA), Force Sensor

Searched String: Fire/Flame Sensor Module

Category not available on GeM for the text string uploaded by the buyer

Searched String: Heart Beat Pulse Sensor

Digital Physiograph System, Heart rate monitor

Searched String: ML8511 UV Sensor

transilluminators uv, Toner Cartridges / Ink Cartridges / Consumables for Printers, UV Light, Video - Nystagmography (VNG) for Vertigo Clinics, Occupancy sensor, Floor Cleaner (V2), Photoelectric Sensor, Ultra violet sanitizer with air purifier, Force Sensor, Potable Water Purification System with Inbuilt Water Cooler

Searched String: MQ2 Sensor Module

Relay Module, Waste Containers and Accessories - Domestic (V2), Interface module, Mobile Work Force Management Solution Software, Occupancy sensor, Laminar air flow cabinets or stations, Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, Bucket Mop Wringer Trolley

Searched String: MAX30100 Pulse Oximeter Sensor

Pulse Oximeter, Pulse Oximeters, Pulse Oximeter (V2)

Searched String: MAX4466 Electret Microphone Amplifier

Category not available on GeM for the text string uploaded by the buyer

Searched String: MIC Condensor

Air Cooled Condensor-BHEL, Bluetooth Speakers, Microphone, Laboratory Condenser, Microbial Fuel Test Kit, Advance Polarization Microscope, Micro/Semi-Micro/Analytical weighing balance, Megaphone-Loud Hailer, Ophthalmic Operating Microscopes, D and C Set

Searched String: MPU6050 Gyroscope Accelerometer

Accelerometer (Transducer) (MNIT)

Searched String: 27mm Piezo Element

Ceramic Heating Element, Executive Computer Table, Element Filter Compressor, Accelerometer (Transducer) (MNIT), Fuller Earth Element, Metal Shelving Racks as per IS 1883, Flexible Heating Element, ELEMENT SPIN ON OIL, Heating Element (BHEL), Classroom Chairs

Searched String: RCWL-0516 Microwave Sensor

Automatic Door sensor

Bid Details/बिड विवरण	Searched String: ACS712 05A Current Sensor
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>AC Current Transducer, D - Shaped Connectors, Force Sensor, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3)</p>
	<p>Searched String: BMP180 Barometric Pressure</p>
	<p>Pressure Sensor, Portable Fire Extinguishers (V2) as per IS 15683:2018, Pressure Calibrator, Anemometer, Pressure Transducers, blood pressure recording units, Pressure Plate, Autoclave (Horizontal), High Pressure Washer, Pressure reducing valve</p>
	<p>Searched String: Flex Sensor 2.2 Inch</p>
	<p>2-2-BIPYRIDYL, Waste Containers and Accessories - Domestic (V2), 2-Phenoxyethanol, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, 2-Naphthol, Laminar air flow cabinets or stations, 2 - Nitrobenzaldehyde, Multicore Cable as per IS 694, 2-Chlorobenzaldehyde, Bucket Mop Wringer Trolley</p>
	<p>Searched String: Float Sensor PP135</p>
	<p>Occupancy sensor, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Photoelectric Sensor, VRLA Batteries as per Technical Specification, Force Sensor, Polypropylene Ropes as per IS 5175, LVDT Sensor, Ratchet Type Torque Wrench, Temperature sensor, modular electrical enclosure switch board boxes for modular type accessories</p>
	<p>Searched String: MQ4 Sensor Module</p>
	<p>Relay Module, Steel Bookcases as per IS 7761, Interface module, Mobile Work Force Management Solution Software, Occupancy sensor, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, water baths</p>
	<p>Searched String: MQ6 Sensor Module</p>
<p>Relay Module, Steel Bookcases as per IS 7761, Interface module, Mobile Work Force Management Solution Software, Occupancy sensor, Electrical Box Extension (V2), Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, water baths</p>	
<p>Searched String: 16x2 Green LCD Display</p>	
<p>Liquid Crystal Display LCD Panel or Monitors, Refrigerated Centrifuge For General And Research Purpose, Computer Monitor, Moisture analyser, Orbital Shaking Incubators, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Muffle Furnace, Laboratory Incubators, Digital Medical Thermometer, CALIPERS</p>	
<p>Searched String: LED 05mm Red</p>	
<p>Methyl Red, Executive Computer Table, Cresol Red Indicator, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Geru / Red ochre, Metal Shelving Racks as per IS 1883, Infra red Torch, Laboratory Incubators, FPO - Red Rice, LED Luminaire (for Road and</p>	

Bid Details/As per Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322

Searched String: LED 05mm Green

Bromocresol green, Executive Computer Table, Bromocresol Green Indicator, Regulators for Breathing Apparatus (Diving Instruments or Accessories), GREEN GRAM Seeds, Metal Shelving Racks as per IS 1883, Green peas defence, underwater lighting, Detox Green Capsules, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322

Searched String: LED 05mm Blue

Bromophenol Blue, Executive Computer Table, Bromothymol Blue, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Prussian Blue, Metal Shelving Racks as per IS 1883, Hydroxynaphthol Blue, Electric Candle, Blue Pottery - ODOP, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322

Searched String: LED 05mm Yellow

Metanil Yellow, Executive Computer Table, Sunset Yellow, Food Grade - IS 1695, Regulators for Breathing Apparatus (Diving Instruments or Accessories), LED Batten, Metal Shelving Racks as per IS 1883, LED Curbstone, Electric Candle, LED Marine Lanterns, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322

Searched String: LED 05mm White

White LED (W - LED) Based Solar Home Lighting Systems (V2), Executive Computer Table, White - LED Based Solar Street Lighting System, Regulators for Breathing Apparatus (Diving Instruments or Accessories), White Soft Paraffin, Metal Shelving Racks as per IS 1883, White Yam Seeds, LED Surface Ceiling Light as per IS 10322, Calcofluor white stain, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322

Searched String: LED 05mm RGB

LED Batten, Executive Computer Table, LED Curbstone, Cheque Scanner, LED Marine Lanterns, Metal Shelving Racks as per IS 1883, LED Flash Light, Regulators for Breathing Apparatus (Diving Instruments or Accessories), LED Flasher Relay, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322

Searched String: Jumper Cable 1M-1M

Nitrile Coated Hand Gloves, Chlorhexidine Gauze Dressings, Multipara Monitor - Low End, D and C Set, Classroom Chairs, Football, BOD Incubator, modular electrical enclosure switch board boxes for modular type accessories, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Regulators for Breathing Apparatus (Diving Instruments or Accessories)

Searched String: Jumper Cable 1M-1F

Nitrile Coated Hand Gloves, Regulators for Breathing

Bid Details/As per	Apparatus (Diving Instruments or Accessories), Multipara Monitor - Low End, modular electrical enclosure switch
	<p>board boxes for modular type accessories, Classroom Chairs, D and C Set, BOD Incubator, Chlorhexidine Gauze Dressings, Sutures (V2), Entry and Mid Level Desktop Computer</p> <p>Searched String: Jumper Cable 1F-1F</p> <p>Mobil 1FS X1 5W50, Nitrile Coated Hand Gloves, Cable termination, Multipara Monitor - Low End, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Classroom Chairs, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, BOD Incubator, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, Sutures (V2)</p> <p>Searched String: Battery 9V HW</p> <p>Alkaline Battery 9V, Online UPS (V2), Battery Cover, D and C Set, battery chargers, Battery Tester, synthetic web equipment improved version, Battery Terminal Coating, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Battery Link Terminal</p> <p>Searched String: USB AB Cable 12 Inch for Arduino Board</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: HDMI Cable for Raspbery Pi 4</p> <p>Pigtails for Fiber Cable Connection, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Laying and Installation Charges for Cables (with or Without Conduit) Suitable for CCTV System (Accessories), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1)</p> <p>Searched String: Wire 1/30 92Mt.</p> <p>Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), modular electrical switches and accessories, Electric Potters Wheel as per IS 302 - 1, Indoor Post Insulator - Organic Material > 1 KV up to and Including 300 KV (V2) as per IS 9431, Tapered Bearings as per IS 12102, Biomedical Waste Treatment System with Shredding and Sterilization as per IS 7494, IS 1762, IS 302 (Part 1), High Pressure Fire Fighting Hose - IS 14933, Clinical Thermometer - Solid Stem Type, Online UPS (V2), Laboratory Refrigerator (V2)</p> <p>Searched String: 840 Tie Point Breadboard GL12</p> <p>Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V2) as per IS 16240, Tie rod assembly, Hydrogen dew point transmitter(NCLIL), Drip - Leg Drain, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Deep Socket, HoleTest Micrometer(BHEL)</p> <p>Searched String: Berg/Header Male</p>

Bid Details/As per	Male External Catheter, Pad Lock Various (As Per Defence Specification), Male External Catheter (V2), Mannequin Male (non medical use), Full Body Protector for Male (MHA), Male connector for arc welding machine(BHEL), Male Uniform Cloth Material (NLC India), Commercial CPVC Pipe Fittings, Cardiopulmonary Bypass Connectors, Male Stud Coupling as per Drawing
	<p>Searched String: Berg/Header Female</p> <p>Mannequin Female (non medical use), medical staff bouffant caps female crimp cap disposable, Female Uniform Cloth Material (NLC India), Antimicrobial Uniform for Sanitary Workers - Female Upper (V2), Pad Lock Various (As Per Defence Specification), D and C Set, Full Body Protector for Female (FFBP) (MHA) / (DIPAS - DRDO), Syringe Filter, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Commercial CPVC Pipe Fittings</p> <p>Searched String: 6x4" General Purpose PCB</p> <p>General purpose safety pins, Refrigerated Centrifuge For General And Research Purpose, General purpose Machinery oils, Plain Washer as per IS 2016, General Purpose Battery Chargers, Non Refrigerated Centrifuge for General Purpose and research, General Purpose Tool Kit, Polyethylene Bags for General Purposes, General Purpose Ball Valves (V2), Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313</p> <p>Searched String: ESD Gloves Pair White</p> <p>thermal gloves, Nitrile Coated Hand Gloves, Football Shoes, ESD Aprons, Industrial Safety Gloves - Leather and Cotton, Polyester/Nylon Liner Knitted Gloves</p> <p>Searched String: Piezo Electric Sensor/Buzzer</p> <p>BUZZER SWITCH., Accelerometer (Transducer) (MNIT), Electromagnetic flowmeter, Occupancy sensor</p> <p>Searched String: Screw Driver(Multipurpose)</p> <p>Screw driver Bits, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Cordless screw driver, Bit Driver Set with Screw driver Bits, centrifuge tubes, Non-Sparking Screw Driver-IS:4595, Screw Drivers as per IS 844, Miniature Screwdriver Set, trolleys or accessories, Multipurpose or General Test Tubes as per IS 2618</p> <p>Searched String: RFID Reader-Tags</p> <p>RFID Reader Equipment, HF RFID Integrated Reader, RFID Smart Card Reader (Indian Railways), name plates or tags, Ear TAG Applicator (For Animal), Tags for Files as per IS 8499 (Rev), Luggage Tags-Handicraft, ELISA reader and washer, Luggage Tags-Handicraft, bar code reader equipment</p> <p>Searched String: RF Modules Tx & Rx 315 MHz Ask</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: RS-232 ZigBee Wireless Module</p>

Bid Details/IS Part	Echo Sounder, Drip - Leg Drain
	<p>Searched String: GSM Module</p> <p>GSM Cutter, Door Curtains (V2), Relay Module, Mobile Work Force Management Solution Software, Interface module, Computer Paper as per IS 12766, IS 9055, IS 1060, IS 1064, Current Voltage Measuring Module, LoRA Development Module Kit, Single switch IGBT Module, Examination Answer Book as per IS 1848:1988</p> <p>Searched String: Wire Stripper (Wire Stripper Cutter Plier with Spring 26X6X20 Cms)</p> <p>Electrician Scissor</p> <p>Searched String: Hot Glue Gun + Glue Sticks</p> <p>Glue gun, Hot air gun, Wood Glue, Glue Stick (V2), Fibrin Sealant, Syringe Filter, Liquid Cold Setting Type Adhesive(BHEL), Mouse Trap (V2), Paper Adhesive, Liquid Gum and Office Paste Type as per IS 2257 (Rev)</p> <p>Searched String: Push Button -tact switch (2 legs)</p> <p>Emergency Push Button Switch, Modular Piano Type Domestic Electrical Switches as per IS 3854</p> <p>Searched String: Speaker 4ohm</p> <p>Speaker Stand, Steel Bookcases as per IS 7761, PA Speaker, Speaker cable, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bluetooth Speakers (V2), Speakerphone, water baths, Bluetooth Speakers, Laminar air flow cabinets or stations</p> <p>Searched String: Speaker 8ohm</p> <p>Speaker Stand, Desktop Computers, PA Speaker, Speaker cable, All in One PC, Bluetooth Speakers (V2), Football Shoes, Speakerphone, Surgical Gloves as per IS 4148, Bluetooth Speakers</p> <p>Searched String: Small Bulb 5V</p> <p>T Bulb, Desktop Computers, Flower Bulb/Seeds, Signal Isolator, ecg chest suction bulb electrode, Sofas (V2), Durry Small (IAF), Special Proofed Canvas / Duck as per IS 6803, Small Angle Grinders, All in One PC</p> <p>Searched String: Servo Motor</p> <p>Synchronous servo motor, ICU Bed, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Heavy duty diesel ultra oil, vortex mixers, Starter Motor Assembly, Induction Motor as per IS 12615, IS 325, Vehicle Wiper Motor, E - Cart for Garbage (V2), DC WINCH MOTOR</p> <p>Searched String: Stepper Motor 5V</p> <p>Aerobic Stepper (V2), Desktop Computers, Starter Motor Assembly, Synchronous servo motor, Sofas (V2), Vehicle Wiper Motor, Signal Isolator, DC WINCH MOTOR, All in One PC, Motor cooling fan</p> <p>Searched String: 5 V Charger , min 2.5 A</p> <p>5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working</p>

	Bid Details/बिड विवरण
	Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 5-Sulfosalicylic acid, Line Interactive UPS with AVR (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Server, Waste Containers and Accessories - Domestic (V2), Electrical Box Extension (V3), Disposable Surgical Goggles and Preparatory (SOP) TABLE 3422, EMERGENCY LIGHTING (V2) SYSTEM Tower type With AC Genset
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • FPGA Development and Evaluation Board • Interface module
BOQ Title/बीओक्यू शीर्षक	Sensors and IoT items
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	5 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	30 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	60 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Arduino Uno SMD Board
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण

Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	35000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

DIRECTOR

Kurukshetra/haryana, Department of Higher Education, National Institute of Technology (NIT), Ministry of Education

(Director Nit Kurukshetra)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 60% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

Item wise rate - [1737117658.xlsx](#)

Raspberry Pi 4 4GB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

Arduino Uno SMD Board

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

CMOS IR Camera Module 728x488

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	5	15

Voice Recognition Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	5	15

Micro SD Card 32GB For Raspbery Pi

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

ESP32 Development Board

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

EMG Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

PH Sensor With Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

GSR Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

ADXL345 Triple Axis Accelerometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

DHT11 Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

HC-SR501 PIR Motion Sensor Modul

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

IR Sensor Module Blue

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Soil Moisture Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

MQ135 Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Ultrasonic Module HC-SR04

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

LDR 05MM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

M18 PNP NO Proximity Senso

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

APDS9930 Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

GY302 BH1750 Light Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

AD8232 ECG Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Eye Blink Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Fire Flame Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Heart Beat Pulse Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

ML8511 UV Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

MQ2 Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

MAX30100 Pulse Oximeter Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

MAX4466 Electret Microphone Amplifier

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

MIC Condensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

MPU6050 Gyroscope Accelerometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

27mm Piezo Element

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

RCWL 0516 Microwave Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

ACS712 05A Current Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

BMP180 Barometric Pressure

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Flex Sensor 2.2 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Float Sensor PP135

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

MQ4 Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

MQ6 Sensor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

16x2 Green LCD Display

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

LED 05mm Red

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	500	15

LED 05mm Green

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	500	15

LED 05mm Blue

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	500	15

LED 05mm Yellow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	500	15

LED 05mm White

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	500	15

LED 05mm RGB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	200	15

Jumper Cable 1M 1M

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	1600	15

Jumper Cable 1M 1F

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	1600	15

Jumper Cable 1F 1F

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	1600	15

Battery 9V HW

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

USB AB Cable 12 Inch For Arduino Board

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

HDMI Cable For Raspberry Pi 4

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

Wire 1 30 92Mt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	3	15

840 Tie Point Breadboard GL12

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Berg Header Male

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Berg Header Female

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

6 Into 4 General Purpose PCB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

ESD Gloves Pair White

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Piezo Electric Sensor Buzzer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Screw Driver Multipurpose

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	10	15

RFID Reader Tags

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

RF Modules Tx And Rx 315 MHz Ask

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

RS 232 ZigBee Wireless Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	10	15

GSM Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	10	15

Wire Stripper Wire Stripper Cutter Plier With Spring 26X6X20 Cms

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	10	15

Hot Glue Gun Plus Glue Sticks

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	5	15

Push Button Tact Switch 2 Legs

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

Speaker 4ohm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

Speaker 8ohm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

Small Bulb 5V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	40	15

Servo Motor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

Stepper Motor 5V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	80	15

5 V Charger Min 2.5 A

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kamlesh Choudhary	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, National Institute of Technology Kurukshetra	20	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Dept of Computer Engg
Academic Building
NIT Campus
NIT Kurukshetra
Kurukshetra, Haryana-136119

3. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

4. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

7. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

8. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

9. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

11. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

12. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Director, NIT Kurukshetra
payable at
kurukshetra

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

13. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

Director, NIT Kurukshetra
. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction

of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

14. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

Director, NIT Kurukshetra
payable at
Kurukshetra

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

15. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Director, NIT Kurukshetra
payable at
Kurukshetra

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

16. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Director, NIT Kurukshetra
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

17. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---