

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	11-07-2025 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-07-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	National Institute Of Technology (nit)
कार्यालय का नाम/Office Name	Kurukshetra/haryana
कुल मात्रा/Total Quantity	2208
वस्तु श्रेणी /Item Category	ESP8266 NodeMCU , ESP32 DevKit v1 , TTGO T Display ESP32 , TTGO T Display S3 , Arduino Uno R3 , Arduino Uno R4 , Rasberry Pi 4 Model B , XBee Series 2C Module , XBee Explorer USB , XBee Zigbee Shield Arduino Compatible , XBee Breakout Board , LILYGO LoRa32 V1.0 , TTGO LoRa32 V2.1 , 300 Mbps Mini Wireless Network USB Wi Fi Adapter , 8 Port Gigabit Switch , 9V HW Battery , AD8232 ECG Sensor , Anti Static ESD Gloves pair , Arduino Casing , Battery Holders , Battery Packs Pack of 10 , Berg Header M and F Straight and right angle , BMP280 Pressure and Temperature Sensor , Breadboards , Brio 100 Full HD Webcam , CR2032 Cell , DHT22 Sensors , Dupont Wires Set 40 pin , Eye Blink Sensor , Hack One SDR 6 GHz , HC SR04 Ultrasonic Distance Sensors , HDMI Cable male to female Right Angle , Heart Beat Sensor , HS S05B Sound Sensor , INA219 Current Sensors , LDR Sensor Module , LDR Sensors , LM393 LDR Module , MAX 30100 Pulse Oximeter Sensor , MH Z19 CO2Sensors , ML8511 UV Sensor , MPU6050 Accelerometer plus Gyro , MQ 135 Gas Sensors , MQ 2 Sensors , Nucleo L432KC , Nucleo WB55RG , OV7670 VGA Camera Module , PIR Motion Sensors , Power Adapters , Rasberry Pi Case with cooling fan and heat sinks , RTL SDR 1.7 GHz , SD Cards , Soil Moisture Sensors , TP4056 module , TSL2561 Light Intensity Sensor , USB 3.0 4 Port Portable Data Hub , USB 3.0 to Gigabit Ethernet Adapter , Dual Drive 3.2 Gen 2 USB Type C 128GB , USB Cables , Wi Fi Router 6 by 6E , Drilling Machine 500 W 2600 RPM with 100 pieces toolset , Universal PCB Prototype Board Single Sided , Universal PCB Prototype Board Double Side , Multipurpose PCB Ruler Engineering Measuring Tool , Short Tape Rule 5 m , Digital Vernier Caliper 150mm

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	<p>ESP8266 NodeMCU, ESP32 DevKit v1, TTGO T-Display ESP32, TTGO T-Display-S3, Arduino Uno R3, Arduino Uno R4, Raspberry Pi 4 Model B, XBee Series 2C Module, XBee Explorer USB, XBee Zigbee Shield (Arduino Compatible), XBee Breakout Board, LILYGO LoRa32 V1.0, TTGO LoRa32 V2.1, 300 Mbps Mini Wireless Network USB Wi-Fi Adapter, 8 Port Gigabit Switch, 9V HW Battery, AD8232 ECG Sensor, Anti-Static ESD Gloves pair, Arduino Casing, Battery Holders, Battery Packs (Pack of 10), Berg Header M and F, Straight and right angle, BMP280 Pressure & Temperature Sensor, Breadboards, Brio 100 Full HD Webcam, CR2032 Cell, DHT22 Sensors, Dupont Wires (Set)(40 pin), Eye Blink Sensor, Hack One SDR 6 GHz, HC-SR04 Ultrasonic Distance Sensors, HDMI Cable male to female Right Angle, Heart Beat Sensor, HS-S05B, Sound Sensor, INA219 Current Sensors, LDR Sensor Module., LDR Sensors, LM393 LDR Module, MAX 30100 Pulse Oximeter Sensor, MH-Z19 CO2Sensors, ML8511 UV Sensor, MPU6050 Accelerometer + Gyro, MQ-135 Gas Sensors, MQ-2 Sensors, Nucleo L432KC, Nucleo WB55RG, OV7670 VGA Camera Module, PIR Motion Sensors, Power Adapters, Raspberry Pi Case with cooling fan and heat sinks, RTL-SDR 1.7 GHz, SD Cards, Soil Moisture Sensors, TP4056 module, TSL2561 Light Intensity Sensor, USB 3.0 4-Port Portable Data Hub, USB 3.0 to Gigabit Ethernet Adapter, ? Dual Drive 3.2 Gen 2 USB Type C 128GB , USB Cables, Wi-Fi Router 6/6E, Drilling Machine- 500 W, 2600 RPM with 100 pieces toolset, Universal PCB Prototype Board Single-Sided, Universal PCB Prototype Board Double-Side, Multipurpose PCB Ruler Engineering Measuring Tool, Short Tape Rule 5 m, Digital Vernier Caliper 150mm</p>
	<p>Searched String: ESP8266 NodeMCU</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: ESP32 DevKit v1</p> <p>Saree (V1), Nitrile Coated/Nitrile Hand Gloves (V2), Donkey (V1), D and C Set, Horses (V1), BOD Incubator, Mules (V1), Abdominal Drainage Kit (V2), Tractors (V1), Multipara Monitor - Low End</p> <p>Searched String: TTGO T-Display ESP32</p> <p>LED Display System, Digital Earth Resistance Meter, Television (TV) (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947</p> <p>Searched String: TTGO T-Display-S3</p> <p>Interactive Panels with CPU, LED Display System, All in One PC, Muffle Furnace, Laboratory Incubators, Digital Earth Resistance Meter, T - Shirt (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Refrigerated Centrifuge For General And Research Purpose, All in One PC (V2)</p> <p>Searched String: Arduino Uno R3</p> <p>Interface module, Entry and Mid Level Desktop Computer, FPGA Development and Evaluation Board, Sofas (V2), High End Desktop Computer, Desktop Computers, XLPE Cable for</p>

बिड विवरण / Bid Details	Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical Box Extension (V2), Laminar air flow cabinets or stations, Interactive Panels with CPU
	<p>Searched String: Arduino Uno R4</p> <p>Printed Circuit Board, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Interface module, Laminar air flow cabinets or stations, water baths, Entry and Mid Level Desktop Computer, Server, High End Desktop Computer, Muffle Furnace, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947</p> <p>Searched String: Rasberry Pi 4 Model B</p> <p>P - Nitrophenyl - B - d - Glucopyranoside, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, 4 pin Head Fixator or Neuro Head Frame, Non - Smooth External Surface Pipe, Type B as per IS 16098, Synthetic Life Jacket MK 1 (Defence), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Antimicrobial Susceptibility Testing Discs, Nylon Rope as per IS 4572, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p>Searched String: XBee Series 2C Module</p> <p>Open Jaw Wrenches (Spanners) as per IS 2028</p> <p>Searched String: XBee Explorer USB</p> <p>USB Data Card / Dongle, USB GPS Receiver for Aadhar, Pen Drive, Intra Oral or Dental Examination (PMT) Sets, USB to Rs 485 Converter (Isolated), Cartridge Check Valve, USB Type External Hard Disk Drive (V2), USB Type External Solid State Drive Capacity Greater than 256 GB, Dental Explorers - RBSK, USB Type External Solid State Drive Capacity up to and Including 256 GB</p> <p>Searched String: XBee Zigbee Shield (Arduino Compatible)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: XBee Breakout Board</p> <p>Mounting board or Anganwadi Board, Modular Table / Meeting Table / Centre Table (V2), Impression Board, Chess Board, Fabric Pin Up Notice Boards, Carrom Board, Information Boards or Illustration Board, Case Board, File Board, Drawing Trussels / Drawing Board Stand</p> <p>Searched String: LILYGO LoRa32 V1.0</p> <p>Online UPS (V2), Line Interactive UPS with AVR (V2), Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Desktop Computers, Stereo Microscope (V1), Potato Peeler, Server, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Electric Kettles and Jugs for Household as per IS 367, digital conductivity meter</p> <p>Searched String: TTGO LoRa32 V2.1</p>

बिड विवरण / Bid Details	<p>Skimmed Milk Powder (V2) as per IS 13334 Part 1 Standard Grade, Fogging Machine (V2) as per IS 14855 (Part 1),</p> <p>Power Factor Meter - Digital, Bond Paper (V2) as per IS 1848 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Printing White Paper (V2) as per IS 1848 (Part 1), Server, Printing Offset Paper (V2) as per IS 1848 (Part 1), Television (TV) (V2), Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1)</p> <p>Searched String: 300 Mbps Mini Wireless Network USB Wi-Fi Adapter</p> <p>synthetic web equipment improved version, Cartridge Check Valve, Plastic Moulded Table - Preschool Kit</p> <p>Searched String: 8 Port Gigabit Switch</p> <p>Unmanaged Gigabit Switch, Layer 2 Access Switch (V2), Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Climbing Rope Nylon, Glacier Region (Defence), HDMI 8 x 8 Switcher, Layer 3 - Access Switch, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, D and C Set, Switch Mode Power Supply (SMPS) as per IS 14886:, KVM Switch</p> <p>Searched String: 9V HW Battery</p> <p>Alkaline Battery 9V, Online UPS (V2), Battery Cover, D and C Set, battery chargers, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Battery Tester, synthetic web equipment improved version, Battery Terminal Coating, Desktop Computers</p> <p>Searched String: AD8232 ECG Sensor</p> <p>ECG Electrodes, Electrocardiography (ECG) Machine (V2), ECG Machine, ECG Electrodes (V2), ECG RECORDING PAPER, ECG Pagewriter machine, Temperature controlled soldering station, Video - Nystagmography (VNG) for Vertigo Clinics, ECG Electrode Gel (V2), Inductive Proximity Sensor</p> <p>Searched String: Anti-Static ESD Gloves pair</p> <p>ESD Mat (V2), Nitrile Coated Hand Gloves, Anti-static Tray, Anti Static Floor Mats - Bed Side Mat, Surgical isolation Faceshield, Gloves, Anti - Flash for Gun Crews, HELIBORNE EQUIPMENTS (MHA), Antistatic Brush, Labelling Machine, Printed circuit board storage rack</p> <p>Searched String: Arduino Casing</p> <p>Regular Casing Pipes (ONGC), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, HX Casing Head (CMPDI), NX Casing Head (CMPDI), PX Casing Head (CMPDI), Interface module, TC Casing Bit / Casing Shoe Bit for Surface Mineral Exploration, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Large Outer Diameter Casing Pipes (Petroleum Industry), Compact Disk Cases - CD - DVD Case</p> <p>Searched String: Battery Holders</p> <p>Notepad Holders, Online UPS (V2), Surgical Needle Holders, Needle Holders for Paediatric Surgery - RBSK, Business Card Holders, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Tea Light Candle Holders-Handicraft, Battery Cover, Stationary Valve Regulated Lead Acid Batteries (V2)</p>
-------------------------	--

बिड विवरण / Bid Details	as per IS 15549, battery chargers
	<p>Searched String: Battery Packs (Pack of 10)</p> <p>Spare / Add On Battery Packs For Transreceiver - Handheld, Nitrile Coated/Nitrile Hand Gloves (V2), ice packs, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Laptop Battery Pack (Rechargeable Battery) as per IS 16046, Online UPS (V2), Flexible Cable for Reefer power packs, Soluble Coffee Powder (Refill Packs) (V2) (Defence), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Bhatia Battery of Performance Intelligence Test</p> <p>Searched String: Berg Header M and F, Straight and right angle</p> <p>M S Angle (V2) As Per Is 808, Crawler Bulldozer (V2), Medical Centrifuge, Dissecting and Ligature Forceps - Mixer's Pattern, Parallel Bar - Outdoor Gym Equipment, Ring Wrenches (Spanners) as per IS 2029</p> <p>Searched String: BMP280 Pressure & Temperature Sensor</p> <p>Temperature sensor, Temperature controlled soldering station, Pressure Sensor, Temperature & Humidity Sensor, Temperature humidity controller, High Temperature High Pressure Table Top Sample Dyeing Machine, Anemometer, Digital Pressure Transmitter</p> <p>Searched String: Breadboards</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Brio 100 Full HD Webcam</p> <p>Full High Definition (HD) Arthroscopy System, Video Conferencing Camera / Web Camera (V2), Cellophane paper, Video Recorder for CCTV System (V2), Multimedia Projector (MMP), Plastic Moulded Table - Preschool Kit, Video Conferencing End Point</p> <p>Searched String: CR2032 Cell</p> <p>Cell Scraper, Battery Cell as per IS 9128, IS 8144, Cell cleaner, Plastic Moulded Table - Preschool Kit, Button Cell or Coin Cell Battery, Automated Cell Counter, Liquid Consortia (V2), Cell Clean Solution, Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651, S type load Cell</p> <p>Searched String: DHT22 Sensors</p> <p>Sensors for Continuous cardiac output monitor, water baths, Package No. 1 - ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND SENSORS, Cleaning Duster (V3), Mineral Insulated Thermocouple, LED Based Indicating Lamp for Panel Cut Outs, Syringe Filter, LED Batten, Temperature controlled soldering station, Cleaning Duster (V2)</p> <p>Searched String: Dupont Wires (Set)(40 pin)</p> <p>Rolling Pin, Board and Sets (Chakla, Belan, Chakla and Belan Set), Power Generator - DG Set (up to 900 KVA), NQ Surface Set Diamond Core Bit 25/40 SPC (CMPDI), Padlock (General</p>

बिड विवरण / Bid Details	Use), Wood Products from Churu - ODOP, Spherical Roller Bearing as per IS 6455, Dot Matrix Type Cash Receipt Printer, Television (TV) (V2), Tapered Bearings as per IS 12102, traction splint sets k wire
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	<p>Searched String: Eye Blink Sensor</p> <p>Eye Drapes, Surgical isolation Faceshield, Eye Pad, Eye Blinder, Protective Eye Goggles (MHA), Lifting Eye (BHEL), Polyester Round Slings, Prednisolone Eye Drops, Occupancy sensor, Temperature controlled soldering station</p> <p>Searched String: Hack One SDR 6 GHz</p> <p>Polypropylene - Random Copolymer Pipes for Hot and Cold Water Supplies (Version 2) as per IS 15801 (Latest), All in One PC, Spectrum Analyzers and Vector Network Analyzers, Signal Generator, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Slippers, Screw Drivers as per IS 844</p> <p>Searched String: HC-SR04 Ultrasonic Distance Sensors</p> <p>Ultrasonic Sensor, Digital Ultrasonic Flaw Detector, Force Sensor</p> <p>Searched String: HDMI Cable male to female Right Angle</p> <p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Cable Assembly B25A RHS, PTMT Tap Fitting</p> <p>Searched String: Heart Beat Sensor</p> <p>Heart rate monitor, Temperature controlled soldering station, Heart Lung Machine, Occupancy sensor, Inductive Proximity Sensor, Photoelectric Sensor, Force Sensor, LVDT Sensor, Temperature sensor, Temperature & Humidity Sensor</p> <p>Searched String: HS-S05B, Sound Sensor</p> <p>Multi Gas Detector (LEL,O2,H2S and CO/NH3/SO2/C12 Level) with Pump - Combustible Sensor Detector (Catalytic Type) (IOCL), Force Sensor, Digital Pressure Transmitter</p> <p>Searched String: INA219 Current Sensors</p> <p>Current Collector, RCCB - Residual Current Operated Circuit - Breakers as per IS 12640, Current Probe, Sensors for Continuous cardiac output monitor, Mineral Insulated Thermocouple, DC Current Transducer, Substation Clamps / Connectors, AC Current Transducer, 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), Temperature controlled soldering station</p> <p>Searched String: LDR Sensor Module.</p> <p>Relay Module, Interface module, Mobile Work Force Management Solution Software, Occupancy sensor, Temperature controlled soldering station, Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, Inductive Proximity Sensor, LVDT Sensor</p> <p>Searched String: LDR Sensors</p> <p>Sensors for Continuous cardiac output monitor, Temperature controlled soldering station, Package No. 1 -</p>

बिड विवरण/Bid Details	ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND
	<p>SENSORS, Inductive Proximity Sensor, Mineral Insulated Thermocouple, Occupancy sensor, Temperature & Humidity Sensor, Multi Gas Detector (V1), Temperature sensor, Urinal Sensor Flushers</p> <p>Searched String: LM393 LDR Module</p> <p>Relay Module, Interface module, Mobile Work Force Management Solution Software, Current Voltage Measuring Module, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Single switch IGBT Module, LoRA Development Module Kit, Disconnection Telecommunication Voice Module, Geographic Information System (GIS) Software (V2), Hardware Security Module (HSM)</p> <p>Searched String: MAX 30100 Pulse Oximeter Sensor</p> <p>Pulse Oximeter, Pulse Oximeter (V2), Pulse Oximeters</p> <p>Searched String: MH-Z19 CO2Sensors</p> <p>Low Temperature Demulsifier for MH Asset (ONGC), Laminar air flow cabinets or stations, Bomb Suit (Version 2) (MHA), patient care mattresses, Beret Cap (MHA), Waste Containers and Accessories - Domestic (V2), Vest Thermal (MHA), Chicken Eggs, Bullet Resistant Helmet (MHA), Portable Fire Extinguishers (V2) as per IS 15683:2018</p> <p>Searched String: ML8511 UV Sensor</p> <p>transilluminators uv, Sterile Hypodermic Syringe (V3), UV Light, Occupancy sensor, SPECTROPHOTOMETER, Photoelectric Sensor, Portable UV Disinfection Box for smart phone and accessories, Force Sensor, Blood Collection Tube, LVDT Sensor</p> <p>Searched String: MPU6050 Accelerometer + Gyro</p> <p>Accelerometer (Transducer) (MNIT), ECG Machine, Semi Automatic Bio Chemistry Analyser</p> <p>Searched String: MQ-135 Gas Sensors</p> <p>Multi Gas Detector (V1), HydroCarbon gas detector</p> <p>Searched String: MQ-2 Sensors</p> <p>Sensors for Continuous cardiac output monitor, Laminar air flow cabinets or stations, 2-2-BIPYRIDYL, 2-Phenoxyethanol, Waste Containers and Accessories - Domestic (V2), 2-Naphthol, Mineral Insulated Thermocouple, 2 - Nitrobenzaldehyde, Sofas (V2), 2-Chlorobenzaldehyde</p> <p>Searched String: Nucleo L432KC</p> <p>Ultra low temperature laboratory deep freezer, clinical cabinets, Shorts Cotton, Modular Work Stations (V2), Carrom Board, Revolving Chair (V4), Spirometer, Vesicular Arbuscular Mycorrhiza, Rain Coat & Suit, Electric Kettles and Jugs for Household as per IS 367</p> <p>Searched String: Nucleo WB55RG</p> <p>Television (TV) (V2), Web Belt Black (Nylon) for Digital Camouflage, ICG, Hand Held Search Light, Winter Jacket, Thermal Paper Roll, Jacket Combat, Decorative Mats - Mat</p>

बिड विवरण/Bid Details	Door Coir, T - Shirt (V2), Disposable Surgical Rubber Gloves (V2), coat combat disruptive detachable lining
	<p>Searched String: OV7670 VGA Camera Module</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PIR Motion Sensors</p> <p>Adaptive Motion Trainer, Temperature controlled soldering station, Sensors for Continuous cardiac output monitor, Automatic Door sensor, Knee CPM (V2), C Arm Fluoroscope X - Ray Machine, Ankle CPM (V2), Inductive Proximity Sensor, Hip CPM (V2), Package No. 1 - ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND SENSORS</p> <p>Searched String: Power Adapters</p> <p>handset adapters, Power Generator - DG Set (up to 900 KVA), Laboratory Glass Adapters, Vacutainer Luer Adapters, Wheel Chairs (V2), Power Tiller, Refrigerated Centrifuge (FSSAI), Power sprayer, Led Flood Light, Power Harrow</p> <p>Searched String: Rasberry Pi Case with cooling fan and heat sinks</p> <p>Laboratory Steel Furniture</p> <p>Searched String: RTL-SDR 1.7 GHz</p> <p>Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), Digital Trainer Kit, Spectrum Analyzers and Vector Network Analyzers, shoes school pvc boys girls, Stapler Pin / Staples (V2), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Queue manager, Tarpaulins Made from HDPE Woven Fabrics as per IS 7903, Submersible Pump Set Three Phase as per IS 8034, IS 9283</p> <p>Searched String: SD Cards</p> <p>Greeting Cards & Pleasantaries-Handicraft, Random Access Memory (RAM) Card (V2), Visiting Cards (V2), Blank ID Cards, Index card files, Greeting Cards & Pleasantaries-Handicraft, Memory Card, Card Board Box for Bio - Medical Waste Collection, Alphabet Flash Cards (Preschool Kit), Books and Flash Cards (By ICDS Bihar)</p> <p>Searched String: Soil Moisture Sensors</p> <p>Soil Moisture Sensor, Soiled linen Trolley, Capacitance based Soil Moisture Sensor, Moisture Meters, Rapid Moisture Meter for Rapid Determination of Water Content for Soil IS - 12175, Moisture tins, Moisture analyser, Modular Table / Meeting Table / Centre Table (V2), Soil Compactor, Temperature controlled soldering station</p> <p>Searched String: TP4056 module</p> <p>Relay Module, Interface module, Mobile Work Force Management Solution Software, Current Voltage Measuring Module, Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, Single switch IGBT Module, LoRA Development Module Kit, Disconnection</p>

बिड विवरण / Bid Details	Telecommunication Voice Module, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Hardware Security Module (HSM)
	<p>Searched String: TSL2561 Light Intensity Sensor</p> <p>Assistive Tech, Climbing Rope Nylon, Glacier Region (Defence)</p> <p>Searched String: USB 3.0 4-Port Portable Data Hub</p> <p>USB Type External Hard Disk Drive (V2), Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124</p> <p>Searched String: USB 3.0 to Gigabit Ethernet Adapter</p> <p>TLM Kit for Multiple Disabilities - Age Group 0 to 3 Years, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years, synthetic web equipment improved version, Laboratory Glass Adapters, USB to Rs 485 Converter (Isolated)</p> <p>Searched String: ?Dual Drive 3.2 Gen 2 USB Type C 128GB</p> <p>PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), USB Type External Hard Disk Drive (V2), Multi Gas Detector (LEL,O2,H2S and CO/NH3/SO2/C12 Level) with Pump - Combustible Sensor Detector (Catalytic Type) (IOCL), USB Type External Solid State Drive Capacity Greater than 256 GB, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Correspondence Envelopes (V3) Conforming to IS 13892, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), taps or valves of nonferrous metals, Control Cable</p> <p>Searched String: USB Cables</p> <p>USB Data Card / Dongle, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), USB GPS Receiver for Aadhar, synthetic web equipment improved version, Monitor power cables, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Pen Drive, Climbing Rope Nylon, Glacier Region (Defence), USB to Rs 485 Converter (Isolated), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: Wi-Fi Router 6/6E</p> <p>Enterprise Wi - Fi Enabled ONT, Home Wi - Fi Enabled ONT, synthetic web equipment improved version, Router, Electrical Box Extension (V2), CAT 6 Information outlet, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), water baths, Moderate Heat Duty Fireclay Refractories, Group A as per IS 6</p> <p>Searched String: Drilling Machine- 500 W, 2600 RPM with 100 pieces toolset</p> <p>Category not available on GeM for the text string uploaded</p>

बिड विवरण/Bid Details	by the buyer
	<p>Searched String: Universal PCB Prototype Board Single-Sided</p> <p>Glow Sign Board (V2)</p> <p>Searched String: Universal PCB Prototype Board Double-Side</p> <p>Glow Sign Board (V2)</p> <p>Searched String: Multipurpose PCB Ruler Engineering Measuring Tool</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Short Tape Rule 5 m</p> <p>HSS Taper Shank Twist Drills (Short Series), Intravenous Cannulas as per IS 10555 - 5, Elastic Surgical Adhesive Tapes (V2), Screw Drivers as per IS 844, Permeable Nonwoven Surgical Adhesive Tape, Kinesiology Tape, Measuring Tape, HT Tape, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Cotton Bandage Cloth (V2)</p> <p>Searched String: Digital Vernier Caliper 150mm</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<p>CALIPERS, Digital Rockwell Hardness Testing Machine, IGBT Based Heavy Duty Power Source Air Plasma Cutting System</p> <ul style="list-style-type: none"> • Ultrasonic Sensor • Soil Moisture Sensor with compressor • Adaptive Motion Trainer
बीओक्यू शीर्षक / BOQ Title	Modules device sensor and Accessories
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	4 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	HC SR04 Ultrasonic Distance Sensors
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	24000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	4.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be

in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Director
National Institute of Technology (NIT), Kurukshetra
(Director, Nit, Kurukshetra)

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

ESP8266 NodeMCU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

ESP32 DevKit V1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	20	21

TTGO T Display ESP32

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	5	21

TTGO T Display S3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	3	21

Arduino Uno R3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

Arduino Uno R4

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	5	21

Raspberry Pi 4 Model B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

XBee Series 2C Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

XBee Explorer USB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

XBee Zigbee Shield Arduino Compatible

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	20	21

XBee Breakout Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	20	21

LILYGO LoRa32 V1.0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	3	21

TTGO LoRa32 V2.1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	3	21

300 Mbps Mini Wireless Network USB Wi Fi Adapter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

8 Port Gigabit Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	3	21

9V HW Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

AD8232 ECG Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	5	21

Anti Static ESD Gloves Pair

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

Arduino Casing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

Battery Holders

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	40	21

Battery Packs Pack Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

Berg Header M And F Straight And Right Angle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

BMP280 Pressure And Temperature Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

Breadboards

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	120	21

Brio 100 Full HD Webcam

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	2	21

CR2032 Cell

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

DHT22 Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

Dupont Wires Set 40 Pin

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	30	21

Eye Blink Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

Hack One SDR 6 GHz

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	1	21

HC SR04 Ultrasonic Distance Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

HDMI Cable Male To Female Right Angle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	5	21

Heart Beat Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

HS S05B Sound Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119, Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	20	21

INA219 Current Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

LDR Sensor Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

LDR Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

LM393 LDR Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

MAX 30100 Pulse Oximeter Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	20	21

MH Z19 CO2Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	5	21

ML8511 UV Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	3	21

MPU6050 Accelerometer Plus Gyro

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

MQ 135 Gas Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	20	21

MQ 2 Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

Nucleo L432KC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	5	21

Nucleo WB55RG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	5	21

OV7670 VGA Camera Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	25	21

PIR Motion Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

Power Adapters

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	15	21

Raspberry Pi Case With Cooling Fan And Heat Sinks

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

RTL SDR 1.7 GHz

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	2	21

SD Cards

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

Soil Moisture Sensors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

TP4056 Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

TSL2561 Light Intensity Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

USB 3.0 4 Port Portable Data Hub

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	4	21

USB 3.0 To Gigabit Ethernet Adapter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	2	21

Dual Drive 3.2 Gen 2 USB Type C 128GB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	10	21

USB Cables

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

Wi Fi Router 6 By 6E

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	1	21

Drilling Machine 500 W 2600 RPM With 100 Pieces Toolset

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	1	21

Universal PCB Prototype Board Single Sided

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	100	21

Universal PCB Prototype Board Double Side

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	50	21

Multipurpose PCB Ruler Engineering Measuring Tool

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	20	21

Short Tape Rule 5 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	20	21

Digital Vernier Caliper 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Graak	136119,Room No. -304, 2nd Floor, Golden Jubilee Administrative Building, NIT Kurukshetra	5	21

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Director, NIT, Kurukshetra
payable at
Kurukshetra

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Director, NIT, Kurukshetra
payable at
Kurukshetra

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Bids received from the same IP address will be rejected.
2. Provide bank details of the firm for the refund of EMDs. etc.

.

8. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

9. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

10. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

11. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---